















INNOVATION · RELIABILITY · QUALITY 2018 Catalog U.S.A

TPC

OUR VISION

A Perferred Company

To create a quality environment where people can work together to provide simple, creative solutions for the betterment of dentistry.

OUR MISSION

Continuous Improvement

We will manufacture innovative, high quality and cost effective dental products that enable distribution partners, dentists, hygienists, teaching institutions and government organizations throughout the world to perform efficient quality dental care. TPC provides innovative solutions and quality equipment that enables dental professionals to work together for the benefit of dentistry.

TABLE OF CONTENTS

Our Vision & Our Mission	Inside Front Cover
Terms & Conditions	1
Chairs & Delivery Units	2-21
Portable Dental Systems	22-25
Stools & X-Ray Chairs	26-28
Operatory Lights	29-31
Mobile Cabinets	32
Imaging Products & Accessories	33-42
Dental Handpiece & Parts	43-55
Handpiece Cleaning & Lubrication Systems	56
Curing & Bleaching	57-66
Scaling Products & Accessories	67-73
Ultrasonic Bath	74-77
Digital Amalgamator	78
Micro Motor & Handpiece	79
Disposable Micro Applicators	80
Disposable Air / Water Syringes	81
Disposable Prophy Angles	82
Disposable Evacuator tips	83
Lab Products	84
Disposable Prophy Cups & Brushes	85
X-Ray Film Holders & Utility Tray	86
Film Mounts	87-90
Autoclavable Air / Water Syringe Tips	91
Deluxe Autoclaveable Valves	92
Parts & Components	93-97
Order Form	Inside Back Cover

Customer Care (8:00 a.m. – 5 p.m. PST) Customer Service Fax Orders Technical Support

Sales Support International Sales Latin america sales Shipping

Accounting
Customer Service
Ordering

1-626-810-4245 service@tpcdental.com sbeckley@tpcdental.com dwang@tpcdental.com alfonso@tpcdental.com holly@tpcdental.com vwang@tpcdental.com customerservice@tpcdental.com

1-626-810-4337



Ordering Information:

When placing orders, please include the following information. All orders will be processed upon receipt of a faxed, mailed, or e-mailed hardcopy of the purchase order.

customerservice@tpcdental.com

- Model and/or Part Number
- •Requested Ship Date
- •Description / Voltage
- •Purchase Order Number

• Quantity

- •Shipping Instructions
- •Cancellations must be confirmed in writing •All credit

cards are accepted unless otherwise noted

Returned Goods:

All returns require prior authorization. Returns must be authorized by TPC within 7 days of date received by the customer.

- Contact Customer Service for Return Authorization Number
- Returned products are subject to a 25% restocking charge
- All returned goods must have Return Authorization Number
- All returned goods must be shipped prepaid
- All authorized returns must be received by TPC in original packaging, accessories, documentation and in original condition for credit considerations
- All outbound repair / warranty freight charges are the responsibly of the customer.
- No returns accepted after 14 days.

Special Orders:

• Special order items and custom made products are not returnable for credit

Minimum Orders:

Radiant Operatory Lights

- Orders less than \$50.00 will incur an additional \$5.00 handling charge.
- All drop ship orders will incur an additional \$5.00 fee.

Terms of Sale:

- Claims: All claims for merchandise received that are not in accordance with the original purchase order must be made within five (5) working days of the receipt of the merchandise. All merchandise is quality inspected and packaged in perfect condition. The common carrier assumes full responsibility for the safe delivery of all merchandise after it is removed from the F.O.B. shipping point. All claims for shortages, loss or damage must be documented and filed promptly with the freight carrier. Concealed damage must be reported to the freight carrier immediately upon discovery, with a request for inspection. If a request is made more than 15 days after the receipt of the merchandise, reasonable evidence must be submitted indicating that damage could not have occurred after delivery.
- All pricing in catalog is subject to change. Verify all pricing prior to placing order.

Warranty Information (All stated warranties are intended for USA market ONLY):

All of our products sold are guaranteed to be free from defects in workmanship and materials for one year from date of purchase, unless otherwise stated. TPC will repair or replace any defective part at no charge. TPC will not be responsible for labor charges or shipping charges to / from the TPC facility. This guarantee does not cover normal wear or stains on surface finish. The guarantee does not cover damage resulting from improper installation, misuse or accidents incurred in shipping and handling. All claims against the freight carrier must be initiated at the time the damaged items are received. The claim is the responsibility of the customer. We are improving our products on a continuous basis. We reserve the right to make modifications without the need for prior notification and are not obliged

Products:	Warranty Peri	iod:	Products:	Warranty Period:
Patient Chairs	5 year limited		Delivery Units	5 year Limited
Operatory Lights (halogen)	1 year		Seating	1 year
Curing & Bleaching Systems	1 year		Mobile Cabinets	1 year
Imaging Products	1 year		Air-Driven Handpieces	1 year
Scaling Products	1 year		Amalgamator	1 year
Extended Manufacturer Warranty	(selective models)):	Limited Manufacturer Warran	ty (selective models):
H6000, H6005, H6025, H7005 L	ubrication System	2 year	6 month Manufacturer Warrant	y (selective models):
LED Curing Lights (All Models)		2 year	Fiber optic systems, S333, M333	3, QS222, QM222, ELCA760,
AdvanceCAM Intraoral Camera Sy	stem(s)	2 year	ELS736.	

2 year

Chair Mounted Operatory System



,	1 11
0	
ILL	17
VIV	11/1
TD 2005	Tauch Dad

TP-2005 Touch Pad



TPE-2011 Touch Pad

Packing Dimensions (L x W x H)	Weight
Chair: 54 x 34 x 31	310 lbs.
Cushion: 51 x 24 x 10	27 lbs.
Unit: 51 x 21 x 18	53 lbs.
Unit: 19 x 21 x 23	36 lbs.
Dental Light: 38 x 17 x 15	28 lbs.
Cuspidor 20 x 13 x 14	18 lbs.

MP2000-LED shown W/ Cuspidor **Optional:**MO17 LCD WIC840 Bracket

MP2000-LED

Chair Mounted Operatory System

otion		Model	Suggested Retail Pri
		MP2000-LED	\$10,9 MP2015-LED \$10,3
include the followin	g:	(with cuspidor)	(without cuspidor)
support, rotating headrest with slid from left and righ	armrests left or right, double articulating ing height adjustment, 30 degree swivel t of center, 3 programmable positions	✓	✓
controls, flex arm wet/dry variable s with air /water file Includes 3 way sy	with air brake, diaphragm block design, peed foot control, deluxe utility center ters and regulators, master shut off valves. ringe and light post with cutout for	✓	✓
		✓	✓
telescoping 4 posi ejector, water / air	tion assistant's package, Hve and saliva quick disconnects, solids collector and	✓	
		liva	✓
Options:			Retail
TPC3WAY-PRT P2330+TB WIC800 WIC825 WIC840 MO17 A800N-1 H7000 H7040 H7070 H7660 H7045 ALED55BN-A TP-2001 53016-L 2000-C	Deluxeautoclavable Hve valve with tubing Standard flat screen monitor bracket Deluxe flat screen monitor bracket with 1 Mirage flat screen monitor bracket with 1 17" LCD multi media flat screen monitor Advance 800 piezo scaler – built in Illumination System – ISO B (5 hole) – tul Illumination handpiece tubing – 5 hole Fiber optic bulb cartridge Illumination System- ISO C (6 pin) – tub Illumination handpiece tubing- 6 pin LED 5W curing light – built in to dental Touch pad control – unit head or dental cauto return, last position	6" extension 6" extension bing, control box, bulb, ing, control box, power unit hair mounted 3 preset, back of 100)	\$108.00 \$50.00
	peratory Package with peratory patient support, rotating headrest with slid from left and right with automatic reaction Asepsis 3 Handpic controls, flex arm wet/dry variable s with air /water filt Includes 3 way synthernal wires and D Lucent LED post 3,000-35,000 Lux Porcelain cuspido telescoping 4 post ejector, water / air clean water system Asepsis telescopin ejector, water / air clean water system Asepsis telescopin ejector, water / air Coptions: TPC3WAY-PRT P2330+TB WIC800 WIC825 WIC840 MO17 A800N-1 H7000 H7040 H7040 H7070 H70660 H7045 ALED55BN-A TP-2001 53016-L 2000-C	peratory Package with Assistant's Instrumentation include the following: Hydraulic patient chair with wide back and full lumbar support, rotating armrests left or right, double articulating headrest with sliding height adjustment, 30 degree swivel from left and right of center, 3 programmable positions with automatic return and foot control Asepsis 3 Handpiece automatic control with coolant controls, flex arm with air brake, diaphragm block design, wet/dry variable speed foot control, deluxe utility center with air /water filters and regulators, master shut off valves. Includes 3 way syringe and light post with cutout for internal wires and monitor bracket D Lucent LED post mounted light with adjustable intensity, 3,000-35,000 Lux Porcelain cuspidor with timed bowl rinse and cup filler, telescoping 4 position assistant's package, Hve and saliva ejector, water / air quick disconnects, solids collector and clean water system Asepsis telescoping 4 position assistant's package, Hve and sa ejector, water / air quick disconnects, solids collector and Coptions: TPC3WAY-PRT Additional autoclavable 3 way syringe with 2300-330+TB Deluxeautoclavable Hve valve with tubing WIC800 Standard flat screen monitor bracket with 1-400-40 Mirage flat screen monitor bracket with 1-4000 Mirage flat screen monitor bracket with	peratory Package with Cuspidor peratory Package with Assistant's Instrumentation include the following: With cuspidor) Hydraulic patient chair with wide back and full lumbar support, rotating armrests left or right, double articulating headrest with sliding height adjustment, 30 degree swivel from left and right of center, 3 programmable positions with automatic return and foot control Asepsis 3 Handpiece automatic control with coolant controls, flex arm with air brake, diaphragm block design, wet/dry variable speed foot control, deluxe utility center with air /water filters and regulators, master shut off valves. Includes 3 way syringe and light post with cutout for internal wires and monitor bracket D Lucent LED post mounted light with adjustable intensity, 3,000-35,000 Lux Porcelain cuspidor with timed bowl rinse and cup filler, telescoping 4 position assistant's package, Hve and saliva ejector, water / air quick disconnects, solids collector and clean water system Asepsis telescoping 4 position assistant's package, Hve and saliva ejector, water / air quick disconnects, solids collector and Options: TPC3WAY-PRT Additional autoclavable 3 way syringe with tubing P2330+TB Deluxeautoclavable Hve valve with tubing Standard flat screen monitor bracket WIC825 Deluxe flat screen monitor bracket with 16" extension MO17 17" LCD multi media flat screen monitor MA00N-1 Advance 800 piezo scaler – built in H7000 Illumination System – ISO B (5 hole) – tubing, control box, bulb, H7040 Illumination system – ISO B (5 hole) – tubing, control box, power H7045 Illumination handpiece tubing - 5 hole H7070 Fiber optic bulb cartridge H7660 Illumination handpiece tubing - 6 pin ALED55BN-A IED 5W curing light – built in to dental unit TTP-2001 Touch pad control – unit head or dental chair mounted 3 preset, auto return, last position 5016-L Disposable Solids Collector Trap, 2 1/8' (pack of 100)

Swing Mount Operatory System



TPE-2011

Packing Dimensions (L x W x H)	Weight
Chair: 54 x 34 x 31	320 lbs.
Cushion: 51 x 24 x 10	27 lbs.
3500: 44 x 36 x 27	103 lbs.
3550: 21 x 20 x 16	19 lbs.
LP100: 38 x 7 x 30	27 lbs.

Optional: Unit mounted light post LP100 & L600-LED Light Post Mounted LED Light



Optional: LP100 swing mount light post with optional L600-LED Operatory Light



#L600 LED

Optional: Model #L690-LED Ceiling mounted LED operatory light

- Page 4 -



Descri	ption		Model	Suggested Retail Price
Mirage S	Swing Mount Ope	ratory System (without light)	MSP3500	\$10,370
Packages	s include the follow	ving:		
4000	support, rotation headrest with s from left and r	ent chair with wide back and full lumbaring armrests left or right, double articulating liding height adjustment, 30 degree swivelight of center, 4 programmable positions treturn and foot control	√	
3500	controls, flex a wet/dry variabl with air /water	is 3 Handpiece automatic control with cool rm with air brake, diaphragm block design, e speed foot control, deluxe utility center filters and regulators, master shut off valves syringe and clean water system	✓	
3550		psis assistant's arm system, Hve and saliva uick disconnect and solids collector	√	
	Options:			Retail
	3500 3550 LP-100 LP-105 L600-LED L690-LED L700 TPC3WAY-PR P2330+TB WIC800 WIC825 WIC840 MO17 A800N-1 H7000	Mirage swing mount unit with chair br Mirage rear swing mount suction packa Mirage swing mount light post (ordered Mirage swing mount monitor post with Lucent LED Operatory Light Lucent LED Ceiling Mounted Operator Advance Operatory Light T Additional autoclavable 3 way syringe w Deluxe autoclavable Hve valve with tub Standard flat screen monitor bracket Deluxe flat screen monitor bracket with Mirage flat screen monitor bracket with 17" LCD multi media flat screen monitor Advance 800 piezo scaler – built in	ge (for TPC chair only) I w/unit) monitor mounting bracket (ory Light with tubing oing 16" extension 16" extension	\$1,280.00 \$1,840.00 \$920.00 \$67.00 \$55.00 \$118.00 \$360.00 \$190.00 \$500.00

H7070

H7660

H7045

TP-2001

XV100

XV150-R **TPCRDSBRKT**

53016-L

TPE-2003

EMB-901

ALED55BN-A

Fiber optic bulb cartridge

Illumination handpiece tubing – 6 pin

3 preset, auto return, last position

Built in Electric Motor System

Super thin X-ray film viewer

TPC Radius Bracket

LED 5W curing light – built in to dental unit

Touch pad control - unit head or dental chair mounted

Disposable Solids Collector Trap 2 1/8" (pack of 100)

X-ray film viewer bracket (curved) for TPC Mirage Unit only

Touch pad Control - Chair & Electric Motor System Touch pad

\$50.00

\$238.00

\$108.00

\$390.00

\$358.00

\$136.00

\$80.00

\$320.00

\$45.00

\$460.00

\$1,790.00

Illumination System – ISO C (6 pin) – tubing, control box, power supply

Patient Chair







Foot Control

and last position.

Hands-free positioning of the patient.

Cast aluminum base for high durability



Armrests swing-out for patient entry and exit from the chair



Re-enforced seat upholstery provides extra comfort and high durability



Articulating dual axis headrest rotation allows for optimum positioning of the oral cavity without the need to reposition the chair



Locking lever allows user to lock chair into desired position



Seat rotates 30° to left and right of center to accommodate different working styles and to maximize access to intraoral x-ray system



Safety shut-off plate disables seat down/backrest recline functions to prevent injury to the operator or damage to items beneath the plate.

Specifications:

Lifting/lowering mechanism:	Hydraulic, cantilever type
Initial height/stroke:	15.5" / 15"
Backrest reclining angle:	0° (Horizontal) – 70°
Seat tilting:	10° – 20°, synchronized with backrest
Preset position:	Microcomputer control. Three preset position, autoreturn, last position
Chair rotation angle:	30° left / 30° right of centerline
Headrest:	Dual axis type
Safety shut-off plate:	Under the main link
Emergency stop:	Any switch can cancel chair movement
Warranty	5 Year Limited

Standard Features:

- Synchronous backrest
- Articulating dual axis headrest
- Cast aluminum base
- Swing-away armrests
- Programmable foot control
- Short pump cover



Description Model Suggested Retail Price Mirage Hydraulic Patient Chair #4000 \$5,790

Product includes the following:

Two programmable positions One preset exit position

Electronic foot control with auto return function

Built-in fuse / surge protection

Toe guard protection to prevent scuffing

All-metal construction

Safety shut-off base plate

Double articulating headrest, adjustable for height

and wheelchair positioning

Locking swivel, 60 degree


Pivoting armrests for easy entry to and exit from chair

Seamless Upholstery

Wide chair back

Coordinated leg rest tilt

Input voltage 110V or 220V





Chair Bracket 22 x 9 x 6

control installed on dental c	1
Packing Dimensions (L x W x H)	Weight
Chair: 54 x 34 x 31	300 lbs.
Cushion: 51 x 24 x 10	27 lbs.

11 lbs.





Optional: PC-2000-BC Narrow backrest with slings.

Options:	Retail
----------	--------

TP-2001	Touch pad control – unit head or dental chair mounted, 3 preset, auto return, last position	\$ 358.00
TPCBRKT	TPC post mount chair bracket	\$ 270.00
PC-1000-DU	Replacement Dental Chair Upholstery Duration Vinyl -Wide Back	\$600.00
PC-1000-Vinyl-UC	Upcharge Non-Standard Dental Chair Upholstery Vinyl -Wide Back	\$450.00
PC-1000-Ultr-UC	Upcharge Ultra leather Dental Chair Upholstery leather -Wide Back	\$700.00
PC-1000-PR-UC	Upcharge Nauga Soft Dental Chair Upholstery Vinly -Wide Back (PR50, 49, 47, 40, 37)	\$200.00
PC-2000-DU	Replacement Dental Chair Upholstery Duration Vinyl -Narrow Back	\$740.00
PC-2000-Vinyl-UC	Upcharge Non-Standard Dental Chair Upholstery Vinly -Narrow Back	\$550.00
PC-2000-ultr-UC	Upcharge Ultra Leather Dental Chair Upholstery leather -Narrow Back	\$800.00
PC-2000-PR-UC	Upcharge Nauga Soft Dental Chair Upholstery Vinly -Narrow Back (PR50, 49, 47, 40, 37)	\$300.00

^{*} Specify color and product code when ordering *

Mirage

Orthodontic Hydraulic Patient Chair





Hands-free positioning of the patient.
2-programmable positions plus an entry/exit position and last position.





Cast aluminum base for high durability



Articulating dual axis headrest rotation allows for optimum positioning of the oral cavity without the need to reposition the chair



Optional armrests swing-out for patient entry and exit from the chair



Locking lever allows user to lock chair into desired position



Seat rotates 30° to left and right of center to accommodate different working styles and to maximize access to intraoral x-ray system



Safety shut-off plate disables seat down/backrest recline functions to prevent injury to the operator or damage to items beneath the plate.

Specifications:

Lifting/lowering mechanism:	Hydraulic, cantilever type
Initial height/stroke:	15.5" / 15"
Backrest reclining angle:	0° (Horizontal) – 70°
Seat tilting:	10° - 20°, synchronized with backrest
Preset position:	Microcomputer control. Three preset position, autoreturn, last position
Chair rotation angle:	30° left / 30° right of centerline
Headrest:	Dual axis type
Safety shut-off plate:	Under the main link
Emergency stop:	Any switch can cancel chair movement
Warranty	5 Year Limited

Standard Features:

- Synchronous backrest
- Articulating dual axis headrest
- Cast aluminum base
- Programmable foot control
- Short pump cover

Orthodontic Hydraulic Patient Chair

Description	Model	Suggested Retail Price
-------------	-------	------------------------

Mirage Orthodontic Hydraulic Patient Chair #3000 \$5,590

Packages include the following:

Two programmable positions

One preset exit position

Electronic foot control with auto return function

Built-in fuse / surge protection

Toe guard protection to prevent scuffing

All-metal construction

Safety shut-off base plate

Double articulating headrest, adjustable for height

and wheelchair positioning

Locking swivel, 60 degree


Seamless Upholstery

Coordinated leg rest tilt

Input voltage 110V or 220V



Optional: TP-2005 Touchpad



Options: Retail


TP-2001	Touch pad control – unit head or dental chair mounted, 3 preset, auto return, last position	\$ 358.00
TPCBRKT	TPC Post mount chair bracket	\$ 270.00
PC-1000-DU	Replacement Dental Chair Upholstery-Wide Back	\$600.00
	Duration Vinyl- Specify Color and Product Code	
PC-1000-Vinyl-UC	Upcharge Non-Standard Dental Chair Upholstery-Wide Back	\$450.00
•	Vinyl- Specify Color and Product Code	
PC-1000-ULTR-U	C Upcharge Ultra leather Dental Chair Upholstery-Wide Back	\$700.00
	Ultra leather- Specify Color and Product Code	
PC-1000-PR-UC	Upcharge Nauga Soft Dental Chair Upholstery-Wide Back	\$200.00
	Nauga Soft- Specify Color and Product Code (PR50, 49, 47, 40, 37)	
M4000-09	Magnetic Pillow Headrest	\$390.00

Packing Dimensions (L x W x H)	Weight
Chair: 54 x 34 x 31	300 lbs.
Cushion: 51 x 24 x 10	27 lbs.

Standard Features: Orthodontic Package • Color temperature: 4500° K • Halogen lamp 12 Volts, 55 Watts • Bulb type: H3 **Standard Features:** • Light intensity (Lux): High 24,000; • Synchronous backrest Low 12,000 • Articulating dual axis headrest • Focal length: 27" (70 cm) • Cast aluminum base • Illumination area:3" x 7" • Programmable foot control • Short pump cover • Hydraulic pump for quite operation **Standard Control Features:** • 3 HP Automatic selection • 3-way Syringe • Vacuum Package with Saliva Ejector and HVE • Self contained water bottle system • Variable speed disc-type foot control • Water coolent on/off switch with flow control • 1 Year warranty Optional: OMC-2200 LCD Bracket MOP3000 Optional: Magnetic Rear cabinet Pull out writing Counter top headrest dimensions door view surface Packing Dimensions (L x W x H) Weight Chair: 54 x 34 x 31 300 lbs.













Descri	ption	Model	Suggested Retail Price
Mirage (Mirage Orthodontic Package MOP300		\$9,050
Packages	include the following:		
3000	Hydraulic patient chair with wide back and full lumbar support, double articulating headrest with sliding height adjustm 30 degree swivel from left and right of center, 4 programmable p with automatic return and foot control		
2375	This orthodontic mobile delivery cabinet offers a pullout writing two instrument drawers, one medium and two large storage dramaterials and supplies that fully extend and quickly remove for each In addition, these cabinets provide a large open space for access convenient access from the front. Oversized locking dual-caster versions of the storage of the storage open space for access to the storage open space.	wers for asy cleaning. ories with	
L700	Advance post mounted light with dual intensity, 4200-4500 Kelvin, dual axis light head rotation	✓	
TPCBRI	KT The chair bracket is included at no charge (value: \$270) when p Mirage Orthodontic Package	ourchasing the	

Options:		Retail
WIC840	Mirage flat screen monitor bracket with 16" extension	\$190.00
MO17	17" LCD multi media flat screen monitor	\$500.00
H7000	Illumination System – ISO B (5 hole) – tubing, control box, bulb, power supply	\$278.00
H7660	Illumination System – ISO C (6 pin) – tubing, control box, power supply	\$238.00
ALED55BN-A	LED 5W curing light – built in to dental unit	\$390.00
TP-2001	Touch pad control – unit head or dental chair mounted	\$358.00
	3 preset, auto return, last position	
OMC2200	LCD monitor bracket	\$300.00
53016-L-100	Disposable Solids Collector Trap 2 1/8" (Pack of 100)	\$45.00
OMC-ST81	Optional Stone Surface on OMC 2375, Color Artic	\$350.00
OMC-ST82	Optional Stone Surface on OMC 2375, Color White	\$350.00
OMC-ST85	Optional Stone Surface on OMC 2375, Color Cream	\$350.00
OMC-ST86	Optional Stone Surface on OMC 2375, Color Bamboo	\$350.00
M4000-09	Optional Magnetic Headrest	\$390.00

Optional: Stone Counter top OMC-ST81




Optional: Stone Counter top OMC-ST82



Optional: Stone Counter top OMC-ST85



Optional: Stone Counter top OMC-ST86



Laguna

Electromechnical Patient Chair



Foot Control

Hands-free positioning of the patient. 2-programmable positions plus an entry/exit position.



Reinforced seat upholstery provides extra comfort and durability



Articulating dual axis headrest rotation allows for optimum positioning of the oral cavity without the need to reposition the chair



Optional armrests pivot up and down for patient entry and exit from the chair

Specifications: Lifting/lowering mechanism: Electromechanical, cantilever type

0° (Horizontal) – 70°

Initial height/stroke: 15.5" / 15"

10° – 20°, synchronized with backrest

Seat tilting:

Preset position: Microcomputer control.

Three preset position, auto return, last position

Chair rotation angle: Fixed

Backrest reclining angle:

Headrest: Dual axis type

Safety shut-off plate: Under the main backrest link

Any switch can cancel chair movement Emergency stop:

5 Year Limited Warranty



Solid steel base

Standard Features:

- Independent backrest
- Articulating dual axis headrest
- Solid Steel base
- Programmable foot control
- Short pump cover

Laguna Electromechnical Patient Chair

\$450.00

\$ 270.00

Description		Model	Suggested Retail	Price
Laguna Electromechni	cal Patient Chair	#L2000		\$3,590
Packages include the fo	ollowing:			
Built-in fuse / surge pr Toe guard protection t All-metal construction	n with auto return function otection o prevent scuffing adrest, adjustable for height ning			7 0 E
5		á	Optional: TP-2007 Tou control installed on dent Packing Dimensions (L x W x H)	al chair Weigh
			Chair: 54 x 34 x 32 Cushion: 51 x 9 x 23	300 lb 27 lbs
Options:			Retai	
PC-5000-DU	Touch pad control – chair mounted Upcharge Dental Chair Upholstery- Duration Vinyl- Specify Color and I	Wide Back		58.00 00.00
PC-5000-Vinyl-UC	Upcharge Non-Standard Dental Ch Vinyl- Specify Color and Product C	air Upholstery-Wide Back	\$45	50.00
PC-5000-ULTR-UC	Upcharge Ultra leather Dental Chai Ultra leather- Specify Color and Pro	r Upholstery-Wide Back	\$70	00.00
DC 5000 DD 11C	Us also and News Color and Tie		φ./.r	0.00

Upcharge Nauga Soft Dental Chair Upholstery-Wide Back Nauga Soft- Specify Color and Product Code

Laguna Post mount chair bracket

PC-5000-PR-UC

LAGBRKT

Laguna

Chair Mounted Operatory System



Packing Dimensions (L x W x H)	Weight
Chair: 54 x 34 x 31	310 lbs.
Cushion: 51 x 24 x 10	27 lbs.
Unit: 51 x 21 x 18	53 lbs.
Unit: 19 x 21 x 23	36 lbs.
Dental Light: 38 x 17 x 15	28 lbs.
Cuspidor 20 x 13 x 14	18 lbs.

Chair Mounted Operatory System

otion		Model	Suggested Retail Pri
		LP2100-600LED	\$8,77 LP2115-600LED \$8,12
		(with cuspidor)	(without cuspidor)
Electromechnical support, rotating headrest with slid from left and righ	patient chair with wide back and full lun armrests left or right, double articulating ing height adjustment, 30 degree swivel t of center, 3 programmable positions		✓
controls, flex arm wet/dry variable s with air /water file Includes 3 way sy	with air brake, diaphragm block design, peed foot control, deluxe utility center ters and regulators, master shut off valves. ringe and light post with cutout for	✓	✓
		✓	√
telescoping 4 posi ejector, water / air	tion assistant's package, Hve and saliva quick disconnects, solids collector and	✓	
		saliva	√
Options:			Retail
TPC3WAY-PRT P2330+TB WIC800 WIC825 WIC840 MO17 A800N-1 H7000 H7040 H7070 H7660 H7045 ALED55BN-A TP-2001 53016-L 2000-C TPE-2003 EMB-901	Deluxeautoclavable Hve valve with tubic Standard flat screen monitor bracket Deluxe flat screen monitor bracket with Mirage flat screen monitor bracket with 17" LCD multi media flat screen monitor Advance 800 piezo scaler – built in Illumination System – ISO B (5 hole) – t Illumination handpiece tubing – 5 hole Fiber optic bulb cartridge Illumination System- ISO C (6 pin) – to Illumination handpiece tubing- 6 pin LED 5W curing light – built in to dental auto return, last position Disposable Solids Collector Trap, 2 1/8' Mirage Cuspidor	ng 16" extension 16" extension or ubing, control box, bulb, pubing, control box, power al unit chair mounted 3 preset, (pack of 100)	\$108.00 \$50.00
i	peratory Package work peratory Package with slid from left and right with automatic results and work peratory work peratory work peratory work peratory work peratory work peratory perator	peratory Package with Assistant's Instrumentation include the following: Electromechnical patient chair with wide back and full lun support, rotating armrests left or right, double articulating headrest with sliding height adjustment, 30 degree swivel from left and right of center, 3 programmable positions with automatic return and foot control Asepsis 3 Handpiece automatic control with coolant controls, flex arm with air brake, diaphragm block design, wet/dry variable speed foot control, deluxe utility center with air /water filters and regulators, master shut off valves. Includes 3 way syringe and light post with cutout for internal wires and monitor bracket D Lucent LED post mounted light with adjustable intensity, 3,000-35,000 Lux Porcelain cuspidor with timed bowl rinse and cup filler, telescoping 4 position assistant's package, Hve and saliva ejector, water / air quick disconnects, solids collector and clean water system Asepsis telescoping 4 position assistant's package, Hve and ejector, water / air quick disconnects, solids collector and clean water system Asepsis telescoping 4 position assistant's package, Hve and ejector, water / air quick disconnects, solids collector and Dptions: TPC3WAY-PRT Additional autoclavable 3 way syringe were played at screen monitor bracket with MIC800 Standard flat screen monitor bracket with MIC840 Mirage flat screen mo	peratory Package with Cuspidor peratory Package with Assistant's Instrumentation include the following: Electromechnical patient chair with wide back and full lumbar support, rotating armrests left or right, double articulating headrest with sliding height adjustment, 30 degree swivel from left and right of center, 3 programmable positions with automatic return and foot control Asepsis 3 Handpiece automatic control with coolant controls, flex arm with air brake, diaphragm block design, wet/dry variable speed foot control, deluxe utility center with air /water filters and regulators, master shut off valves. Includes 3 way syringe and light post with cutout for internal wires and monitor bracket D Lucent LED post mounted light with adjustable intensity, 3,000-35,000 Lux Porcelain cuspidor with timed bowl rinse and cup filler, telescoping 4 position assistant's package, Hve and saliva ejector, water / air quick disconnects, solids collector and clean water system Asepsis telescoping 4 position assistant's package, Hve and saliva ejector, water / air quick disconnects, solids collector and Options: TPC3WAY-PRT Additional autoclavable 3 way syringe with tubing 2012 Standard flat screen monitor bracket with 16" extension WIC825 Deluxe flat screen monitor bracket with 16" extension WIC840 Mirage flat screen monitor bracket with 16" extension WIC840 Mirage flat screen monitor bracket with 16" extension UIC840 Illumination System – ISO B (5 hole) – tubing, control box, bulb, 147040 Illumination handpiece tubing – 5 hole H7070 Fiber optic bulb cartridge H7040 Illumination handpiece tubing – 5 hole H7070 Fiber optic bulb cartridge H7045 Illumination handpiece tubing – 6 pin ALED5SBN-A TP-2001 Touch pad control – unit head or dental chair mounted 3 preset, auto return, last position 53016-L Disposable Solids Collector Trap, 2 1/8' (pack of 100) Touch pad Control – Chair & Electric Motor System touch pad

Caguna **Standard Features:** Orthodontic Package • Color temperature: 4500° K Halogen lamp 12 Volts, 55 Watts • Bulb type: H3 **Standard Features:** • Light intensity (Lux): High 24,000; • Independent backrest Low 12,000 · Articulating dual axis headrest • Focal length: 27" (70 cm) • Steel base • Illumination area:3" x 7" • Armrests pivot up and down **Standard Control Features:** Programmable foot control • 3 HP Automatic selection • Short pump cover • 3-way Syringe • Electric motor operated • Vacuum Package with Saliva Ejector and HVE • Self contained water bottle system • wet / dry foot control • 1 Year warranty


LOP2000

Standard Cabinet Features:

- Five easy to remove and clean full extension drawers, and one pull-out writing surface.
- High quality hardware throughout
- Oversized caster wheels
- Four stationary handles for easy cart positioning
- A removable counter top plastic tray
- Standard 12" X 12" Junction Box
- 5' Length of umbilical

Packing Dimensions (L x W x H)	Weight
Chair: 54 x 34 x 32	300 lbs.
Cushion: 52 x 24 x 10	27 lbs.
Light 26 x 14 x 8	21 lbs.
Cabinet 26 x 28 x 37	155 lbs.

Counter top dimensions



Rear cabinet door view



Pull out writing surface






Descri	ption	Model	Suggested Retail Price
Laguna (Orthodontic Package I	OP2000	\$7,170
Packages	include the following:		
L2000	Electromechanical patient chair with wide back and full lumbar support, double articulating headrest with sliding height adjustme 3 programmable positions with automatic return and foot control		
2375	This orthodontic mobile delivery cabinet offers a pullout writing s two instrument drawers, one medium and two large storage draw materials and supplies that fully extend and quickly remove for ear In addition, these cabinets provide a large open space for accessoric convenient access from the front. Oversized locking dual-casters.	ers for sy cleaning.	
L700	Advance post mounted light with dual intensity, 4200-4500 Kelvin, dual axis light head rotation	✓	
LAGBR	KT The chair bracket is included at no charge (value: \$270) when pu Laguna Orthodontic Package	archasing the	

Options:		Retail
WIC840	Mirage flat screen monitor bracket with 16" extension	\$190.00
M017	17" LCD multi media flat screen monitor	\$500.00
H7000	Illumination System – ISO B (5 hole) – tubing, control box, bulb, power supply	\$278.00
H7660	Illumination System – ISO C (6 pin) – tubing, control box, power supply	\$238.00
ALED55BN-1	LED 5W curing light – built in to dental unit	\$390.00
TP-2001	Touch pad control – chair mounted, 3 preset, auto return	\$358.00
OMC2200	LCD monitor bracket	\$300.00
53016-L-100	Disposable Solids Collector Trap 2 1/8" (pack of 100)	\$45.00
OMC-ST81	Optional Stone Surface on OMC 2375, Color Artic	\$350.00
OMC-ST82	Optional Stone Surface on OMC 2375, Color White	\$350.00
OMC-ST85	Optional Stone Surface on OMC 2375, Color Cream	\$350.00
OMC-ST86	Optional Stone Surface on OMC 2375, Color Bamboo	\$350.00
LAGBRKT	Laguna Post mount chair bracket	\$270.00

Optional: Stone Counter top OMC-ST81




Optional: Stone Counter top OMC-ST82



Optional: Stone Counter top OMC-ST85



Optional: Stone Counter top OMC-ST86



Mbirage

Chair Mounted Delivery System

Standard Features

- Asepsis automatic control for three handpieces
- Individual handpiece pressure adjustments
- Non-retracting water coolant with on/off
- · Individual water coolant flow controls
- · Air coolant flow control
- Handpiece tubing flush system
- Ultra soft handpiece tubing
- 4-hole straight gray asepsis tubing with Midwest connector
- Stainless steel tray with non-skid pad
- Disc foot control wet/dry toggle with 7' of smooth tubing
- Equipment utility center with asepsis housing
- Vacuum canister with solids collector screen
- Water outlet quick disconnect
- Air outlet quick disconnect for prophy jet
- Self contained water system with city/bottle selector switch
- Straight light post for unit mount dental light
- Pre-wiring for fiber optic light source
- · Air-actuated counterbalanced arm lock
- 3 way syringe on unit head

Gravity Drain Cuspidor

- Contoured bowl is made of fine porcelain for easy cleaning and infection control.
- The cuspidor operates with adjustable timed bowl rinse and cup filler
- Swing away cuspidor bowl with safety breakaway feature
- Electric solinoid controlled

Assistant's Instrumentation on Telescoping Arm

- 1 autoclavable HVE with asepsis tubing
- 1 autoclavable saliva ejector with asepsis tubing

Options

- Built In Electric Handpiece
- Super thin X-ray viewer to mount on unit control head
- Built-in Led curing light
- Built-in scaler
- Illumination light source
- Post-mounted utility tray
- 17" LCD Monitor
- LCD monitor bracket



TP-2005

Control Head: Easy to read pressure gauge. Easy access controls for simple adjustments. Ultra soft handpiece tubing minimizing hand and wrist stress.



Built in self contained water bottle system including city/ bottle selector switch.



Model 2000

Cuspidor Bowl: The deep contoured bowl is made of fine porcelain for easy cleaning and infection control.



Optional: Super thin xray viewer mounted to unit head



TPE-2011

Optional: Multi media flat screen monitor for chair side intraoral imaging, patient education and DVD viewing.



Built in air and water quick disconnect for ultrasonic scaling and prophy jet





Chair Mounted Delivery System





Optional: TP-2005 Touchpad control

Optional: TPE-2011 Touchpad control

Packing Dimensions (L x W x H)	Weight
Unit: 51 x 21 x 17	55 lbs.
Unit: 19 x 21 x 23	36 lbs.
Cuspidor: 13 x 14 x 21	18 lbs.

Description

Description	Model	Suggested Retail Price
Mirage Chair Mounted Delivery System with Cuspidor	2000	\$3,900

Mirage Chair Mounted Delivery System		2015	\$3,250
Package includes the following:	(with cuspidor)	(without cuspidor)	

Asepsis 3 handpiece automatic control with coolant controls, flex arm with air brake, diaphragm block design, wet/dry variable speed foot control, deluxe utility center with air /water filters and regulators, master shut off valves. Includes 3 way syringe and light post with cutout for internal wires and monitor bracket, 5' umbilical

Porcelain cuspidor with timed bowl rinse and cup filler, telescoping 4 position assistant's package, Hve and saliva ejector, water / air quick disconnects, solids

collector and clean water system Asepsis telescoping 4 position assistant's package, Hve and saliva ejector,

Model #2015

water/air quick disconnect, solids collector and clean water system Light Post


Opt	ons:	Retail
-----	------	--------

TPC3WAY-PRT	Additional autoclavable 3 way syringe with tubing	\$67.00
P2330+TB	Deluxe autoclavable Hve valve with tubing	\$55.00
WIC800	Standard flat screen monitor bracket	\$118.00
WIC825	Deluxe flat screen monitor bracket with 16" extension	\$360.00
WIC840	Mirage flat screen monitor bracket with 16" extension	\$190.00
M017	17" LCD multi media flat screen monitor	\$500.00
A800N-1	Advance 800 piezo scaler – built in	\$490.00
H7000	Illumination System – ISO B (5 hole) – tubing, control box, bulb, power supply	\$278.00
H7660	Illumination System – ISO C (6 pin) – tubing, control box, power supply	\$238.00
ALED55BN-A	LED 5W curing light – built in	\$390.00
L600-LED	Lucent LED Operatory Light	\$1,280.00
L625-LED	Lucent LED Operatory Light with motion sensor	\$1,430.00
BELBRKT	Belmont chair mount bracket (Bel 20/Bel 50)	\$165.00
TPCBRKT	TPC chair mount bracket	\$270.00
TP-2001	Touch pad control – unit head or dental chair mounted, 3 preset, auto return, last position	\$358.00
TPE-2003	Touch pad Control - Chari & Electric Motor System touch pad	\$460.00
53016 -L-100	Disposable Solids Collector Trap, 2 1/8" (pack of 100)	\$45.00
2000-C	Mirage Cuspidor	\$650.00
EMB-901	Built In Electric Motor system	\$1,790.00
XV100	Super Thin X-ray Viewer	\$136.00
XV150-R	Xray viewer bracket (round cut-out) – mount to Mirage unit head (Round Arm)	\$80.00

Mobile Cart









Description	Model	Suggested Retail Price

112	0401	0455ested 1tetail 111ee
MC-500		\$2,100
	MC-501	\$2,300
✓	✓	
✓	✓	
✓	✓	
✓	✓	
✓	✓	
✓	✓	
✓	✓	
✓	✓	
	✓	
	✓	
✓	✓	
✓	✓	

Options:	Retail
----------	--------

H7660	Illumination system – ISO C (6 pin) – tubing, control box, power supply	\$238.00
H7000	Illumination system – ISO B (5 hole) – tubing, control box, bulb, power supply	\$278.00
A800N-1	Advance 800 N piezo scaler – built in	\$490.00
53106-L-100	Disposable Solids Collector Trap, 2 1/8" Pk of 100	\$45.00
MC500-UMB-FT	Additional Umbilical Per Foot	\$32.00
MC501-UMB-FT	Additional Umbilical Per Foot	\$35.50

Model #MC-500 Model #MC-500

Packing Dimensions: 24" x 24" x 36" / 52 lbs

Packing Dimensions: 24" x 24" x 36" / 50 lbs






Wall / Cabinet Mounted System









Model #MR-4000





Model #MVP-5000





Suggested Retail Price

		oug	gested recta	11 1 1100
Mirage Cabinet Mounted Side Delivery Unit Mirage Cabinet Mounted Rear Delivery Unit Mirage Cabinet Mounted Vacuum Package	MS-3000	MR-4000	MVP-5000	\$2,590 \$1,650 \$760
Asepsis 3 handpiece automatic selection with bottle system	✓	√		
3 way syringe with quick change autoclavable tip	✓	✓		
Master on/off toggle	✓	✓		
Air / Water pressure adjustment for each handpiece	1	✓		
Pressure gauge	1	✓		
Non-retracting water / air coolant adjustment and purge	✓	✓		
Asepsis handpiece tubing			, 19" vertical)	
Asepsis flex arm system, w/ 9" rigid arm, pneumatic brake	✓		V	,
2" diameter wall bracket	✓		(22)	' reach)
Pivoting arm mounted vacuum canister w/ screen			✓	
3 way syringe with quick change autoclavable tip			✓	
Water quick disconnect			✓	
Vacuum canister with removable screen			✓	
4 position holder, 1 autoclavable Hve and saliva ejector & tubing			✓	
Variable speed foot control	1	/		
Options:				Retail
H7660 Illumination system – ISO C (6 pin) – tu	bing, control	box		\$238.00
H7000 Illumination system – ISO B (5 hole) – to				\$278.00
A800N Advance 800 piezo scaler – built in				\$490.00

Packing Dimensions: 17" x 21" x 51" / 48 lbs MS-3000

P2330+TB

53106-L-100

Packing Dimensions: 22" x 20" x 15" / 22 lbs MR-4000

Deluxe autoclavable Hve valve with tubing

Disposable Solids Collector Trap, 2 1/8" (Pack of 100)

Packing Dimensions: 13" x 13" x 8" / 10 lbs MVP-5000

\$55.00

\$45.00



Model #MP-2600 Mirage Panel Mount Rear Delivery System



- 2 Handpiece Tubing Positions
- 3 Position HP Holder
- TPC Press ring style syringe
- Individual drive air & water coolant controls
- Foot control
- Control Dimensions 8 1/2" x 1 3/4" x 5"
- Cut-out dimentions 7 1/2" x 11 1/2"
- Syringe has adjustable air & water controls
- Air / Water master control W/ Regulator.

Model #MP-2601 Mirage wall / Cabinet Mount Rear Assistants package



Model #MR-4500 Mirage Rear Cabinet Mount Delivery System with Assistants Package



Standard Features

- 2 HVE Suciton Valves
- 1 SE Suction Valve
- 3 Position Suction Holder
- Vacuum canister with removable screen

Standard Features

- Asepsis 3 handpiece automatic selection with bottle sytem
- 3 way syringe with quick change autoclavable tip
- Master on/off toggle
- Air / Water pressure adjustment for each handpiece
- Pressure gauge
- Non-retracting water / air coolant adjustment and purge
- Asepsis handpiece tubing
- Asepsis flex arm system, w/ 9" rigid arm, pneumatic brake
- Self contained bottle system
- Stainless Steel tray
- 3 way syringe with quick change autoclavable tip
- Utility center
- Vacuum canister with removable screen

Description	Model	Suggested Retail Price
Mirage Panel Mount Rear Deliver	ry System MP-2600	\$770.00
(2 HP manual select, 3-Way Syrin	nge, 3 position HP holder, Utility Valves)	
Mirage Wall & Cabinet Mount A	ssistance Package MP-2601	\$270.00
(2 HVE, 1 SE, 3 position holder)		
Mirage Rear Cabinet Mounted D	elivery System W/ Assistants Package MR-4500	\$2,250.00
Options:		Retail
H7660	Illumination system – ISO C (6 pin) – tubing, control box	\$238.00
H7000	Illumination system – ISO B (5 hole) – tubing, control box, bulb	\$278.00
A800N	Advance 800 piezo scaler – built in	\$490.00
P2330+TB	Deluxe autoclavable Hve valve with tubing	\$55.00
53106-S-100	Disposable Solids Collector Trap, 1 7/8" (Pack of 100)	\$45.00
53106-L-100	Disposable Solids Collector Trap, 2 1/8" (Pack of 100)	\$45.00

Packing Dimensions: 8" x 17" x 15" / 9 lbs MP-2600 **Packing Dimensions:** 8" x 17" x 15" / 5 lbs MP-2601

Packing Dimensions: 20" x 20" x 15" / 27 lbs MP-4500

OMC 2375

Orthodontic Mobile Delivery Cabinet







Rear compartment

Χ 12" D X 20" H





Writing surface with optional solid surface





Optional hard surface stone tof OMC-ST82





OMC-ST86

Function:


This orthodontic mobile delivery cabinet offers a pullout breadboard, two instrument drawers, one medium and two large storage drawers for materials and supplies that fully extend and quickly remove for easy cleaning. In addition, these cabinets provide a large open space for accessories with convenient access from the front. The oversized dual-caster wheels, makes positioning of the cabinet simple and easy on all floor surfaces, including carpet.

Standard Cabinet Features:

- Five easy to remove and clean full extension drawers, 3 HP Automatic selection and one pull-out writing surface.
- High quality hardware throughout
- Oversized caster wheels
- Four stationary handles for easy cart positioning
- A removable counter top plastic tray
- Standard 12" X 12" Junction Box
- 5' Length of umbilical

Standard Control Features:

- 3-way Syringe
- Vacuum Package with Saliva Ejector and HVE
- Self contained water bottle system
- Variable speed disc-type foot control
- Water coolent on/off switch with flow control
- 1 Year warranty



Description Model Suggested Retail Price

Orthodontic Mo	obile Delivery Cabinet OMC2375	\$2,390 Retail
A800N-1	Advance 800N Piezo Scaler - Built in	\$490.00
ALED55BN-A	LED 55BN 5W LED Curing Light -Built in	\$390.00
2375-UMB-FT	Umbilical Per Foot	\$32.00
OMC2200	LCD Monitor Bracket W/ Post	\$300.00
OMC-ST81	Optional Stone Surface on OMC 2375, Color Artic	\$350.00
OMC-ST82	Optional Stone Surface on OMC 2375, Color White	\$350.00
OMC-ST85	Optional Stone Surface on OMC 2375, Color Cream	\$350.00
OMC-ST86	Optional Stone Surface on OMC 2375, Color Bamboo	\$350.00
53016-L-100	Disposable Solids Collector Trap 2 1/8" (Pack of 100)	\$45.00

Packing Dimensions: 26" x 28" x 37" / 155 lbs

Portable Dental Chair Package



DescriptionModelSuggested Retail PricePortable Dental Chair PackagePC 2700\$1,730


(Includes patient Chair, Light, Stool, Tray, Spittoon & heavy duty Carry bags)

Options	Model	Suggested Retail Price
PC 2720	Portable Patient Chair	\$650.00
PC 2740	Portable Dr. Stool	\$390.00
PC 2760	Portable Operatory Light	\$390.00
PC 2780	Stainless Steel tray and spit cup	\$150.00
PC 2790	Portable chair heavy duty carry bag	\$180.00
PC 2795	Stool heavy duty carry bag	\$160.00

Shipping Dimensions:

Packing Dimensions: 17" x 22" x 30" / 78 lbs

Portable Delivery System



- LED Curing light
- Piezo Scaler





The PC2630 is a fully self contained air dental system. Quick and easy to setup and operate. Ready

for travel. Tornado HP avila	ble upon request. As	sk for details.	.,
Description	Model		Suggested Retail Price
Portable Dental System	PC2630		\$1,950
Portable Dental System W/ Scaler & LED Curing Light		PC2930	\$2,950
Package Includes the following			
• 4 hole or 2 hole instrument tubings (specify)	✓	✓	
• 3 way syringe	✓	✓	
Saliva ejector	✓	✓	
• Self contained water bottle system	✓	✓	
• Self contained oil - less ompressor (580W / 7L)	✓	✓	
• Foot control	✓	✓	
• Air venturi vacuum system	✓	✓	
• Transportation case with pull out handle.	✓	✓	
• 1 year warranty	✓	✓	
Built In Scaler		✓	
Built In Curing Light		✓	
Options:			Retail
A800N-1 Advance 800 piezo scaler – built in "Factory	Installed"		\$540.00
53012-INSTL Female Quick disconnect (factory installed)			\$110.00

Shipping Dimensions: pc2630

Packing Dimensions: 16" x 20" x 27" / 56 lbs

Shipping Dimensions: pc2930

Packing Dimensions: 16" x 20" x 27" / 60 lbs

Portable Delivery System



The **PC2635** is a portable, self contained delivery system suitable for use in-office, nursing homes, hospitals, or wherever any off-site dentistry is required. The PC2635 is a lightweight, portable system that is easily transported. Air and water supply are included on the PC2635 portable dental system. Optional Tornado High and Slow speed handpieces are available.

Description	Model	Suggested Retail Price
Portable Dental System	PC2635	\$1,425
Package Includes the folllowing		
• 4 hole or 2 hole instrument tubings (specify)	√	
• 3 way syringe	✓	
• Self contained oil - less compressor (580W / 7L)	✓	
• Foot contol	✓	
Automatic Handpiece flush System	✓	
Built in carrying handle	✓	
• Self contained water bottle system	✓	
• 1 year warranty	✓	
Chinaina Dimensiana		

Shipping Dimensions:

Packing Dimensions: 23" x 15" x 22" / 66 lbs

Mobile Vacuum System



- Moves with Ease
- Efficient
- Simple Maintenance
- Perfect Backup
- Cost Effective
- Compact



Specifications

Electrical: 7/8 Horsepower

115 VAC, 50/60 Hz 230 VAC, 50/60 Hz

4.0 Amps

Sound: 70 db

Motor: Variable speed control Construction: Impact resistant molded

polyethylene

Vacuum: 80" of water (6" of Hg)

Airflow: 75 cfm Canister: 2 Liter

Dimensions: 14" L x 12" W x 31" H

Shipping: Via FedX / UPS

The PC 2530 Mobile Vac System is a portable, self contained vacuum system suitable for use by the dentist in a temporary location or when it is not feasible to install a central vacuum system.

Package Includes the folllowing • HVE and SE Valves • Drain Line • 2 SE suction tips • Power cord • Solids filter • 1 year warranty	ail Price	Suggested Retail	Model	Description
 HVE and SE Valves Drain Line 2 SE suction tips Power cord Solids filter 1 year warranty 	\$1,390	\$	PC2530	Mobile Vacuum System
 Drain Line 2 SE suction tips Power cord Solids filter 1 year warranty 				Package Includes the following
 2 SE suction tips Power cord Solids filter 1 year warranty 			✓	• HVE and SE Valves
 Power cord Solids filter 1 year warranty 			✓	Drain Line
 Solids filter 1 year warranty 			✓	• 2 SE suction tips
• 1 year warranty			✓	• Power cord
\cdot			✓	• Solids filter
			✓	• 1 year warranty
Shipping Dimensions:				Shipping Dimensions:

Packing Dimensions: 18" x 17" x 33" / 71 lbs

Operatory Stools

Model SS-5105



Dimensions:

vertical adjustment range: 0" - 3.5" 13" x 14" Seat width: 23" - 31" Seat height ranges: 5-Leg base diameter: 24"

22" x 21" x 15" / 23 lbs. Shipping dimensions:

Model DR-1102



Dimensions:

Backrest vertical 0" - 3.25"adjustment range: 18" Seat width: 19" -23" Seat height ranges: 5-Leg base diameter: 24"

Shipping dimensions: 24" x 23" x 16" / 34 lbs.

Model DR-5109



Dimensions:

Backrest vertical 0" - 3.25" adjustment range: 15 3/4" Seat width: 19" -23" Seat height ranges: 5-Leg base diameter: 24"

Shipping dimensions: 23" x 22" x 16" / 38 lbs.

Description

Description	Model	11 0	Suggested Re	Suggested Retail Price	
Mirage saddle stool	SS-5105			\$490	
Mirage doctor's stool		DR-1102		\$460	
Mirage doctor's stool with armrests			DR-5109	\$600	
Stool Package includes the following:					
Five-leg, ultra stable base, 24" diameter	✓	✓	✓		
Gas cylinder lift for seat height adjustment	✓	✓	✓		
Adjustable for right or left hand use	✓	✓	✓		
Large, firm cushion seat	✓	✓	✓		
Adjustable full ring foot rest	✓				
Dual wheel casters	✓	✓			
Adjustable anatomical body support bar	✓				
Height adjustment	23" - 31"	19" - 23"	19" - 23"		
16 Upholstery color choices	✓	✓	✓		
Seat tilt	✓	✓			
Adjustable armrest			✓		
1 year warranty	✓	✓	✓		

Options *Specify Color And Product Code*

options openly color mid	Troduct Gode	
DR1102-9	Replacement DR1102 Seat Cushion ONLY Duration Vinyl	\$140.00
DR1102-11	Replacement DR1102 Chair Back Cushion ONLY Duration Vinyl	\$110.00
DR1102-Vinyl-UC	Upcharge Non Standard Vinyl DR1102 Upholstery upcharge	\$130.00
DR-1102-ULTR-UC	Upcharge Ultra leather DR1102 Upholstery upcharge	\$250.00
DR-5109-Vinyl-UC	Upcharge Non Standard Vinyl DR5109 Upholstery upcharge	\$150.00
DR-5109-ULTR-UC	Upcharge Ultra leather DR5109 Upholstery upcharge	\$290.00
SS-5105-Vinyl-UC	Upcharge Non Standard Vinyl SS5105 Upholstery upcharge	\$140.00
SS-5105-ULTR-UC	Upcharge Ultra leather SS5105 Upholstery upcharge	\$270.00
	– Page 28 –	

MolPalgle Assistants Stool

Model AS-1101



Dimensions:

Backrest vertical

adjustment range: 0" - 3.25"Seat width: 18"Seat height ranges: 19" - 23"

5-Leg base diameter: 24"

Packing dimensions: 24" x 23" x 20" / 45 lbs. **Description**

Model HY-1107



Dimensions:

Backrest vertical

adjustment range: 0" – 3.25" Seat width: 18" Seat height ranges: 19" –23" 5-Leg base diameter: 24"

Packing dimensions: 22" x 21" x 15" / 30 lbs.

Suggested Retail Price

1		8	0
Mirage assistants stool	AS-1101		\$550
Mirage hygiene stool		HY-1107	\$460
Stool Package includes the following:			
Five-leg, ultra stable base, 24" diameter	✓	✓	
Gas cylinder lift for seat height adjustment	✓	✓	
Large, firm cushion seat	✓	✓	
Durable tile / carpet Casters	✓	✓	
Adjustable full ring foot rest	✓		
Adjustable for right or left handed use	✓		
Adjustable anatomical body support bar	✓		
Seat tilt		✓	
Height adjustment	22" - 29"	19" - 23"	
1 year warranty	✓	✓	
Ontions *Specify Color And Product Code*			

Model

Options *Specify Color And Product Code*

AS1101-16	Replacement AS1101 Seat Cushion ONLY Duration Vinyl	\$140.00
AS1101-21	Replacement AS1101 Chair Back Cushion ONLY Duration Vinyl	\$110.00
AS1101-18	Replacement AS1101 Abdominal Bar Cushion ONLY Duration Vinyl	\$105.00
AS1101-Vinyl-UC	Upcharge Non Standard Vinyl AS1101 Upholstery Upcharge	\$150.00
AS1101-ULTR-UC	Upcharge Ultra leather AS1101 Upholstery Upcharge	\$290.00

Moirage X-ray Chair



Dimensions:

Seat width: 21"

Seat height ranges: 21.5" – 27.5"

Base diameter: 24"

Packing dimensions: 31" x 20" x 11" / 46 lbs.

8" x 8" x 18" / 17 lbs. 24" x 24" x 4" / 14 lbs.

DescriptionModelSuggested Retail PriceMirage Xray chairXR-6101\$1,100

X-ray stool Package includes the following:

11 Tay Stool I ackage merades the following.		
Adjustable headrest	✓	
Gas cylinder lift for seat height adjustment	✓	
Pneumatic pump on base	✓	
Large, firm cushion seat	✓	
Large diameter base	✓	
Height adjustment	✓	21.5" - 27.5"
16 Upholstery color choices	✓	
Arm rest	✓	
Leg rest	✓	
1 year warranty	✓	

Options

XR-6101-8-C	Replacement XR6101 Duration Vinyl Seat Cushion ONLY	\$120.00
XR-6101-9-C	Replacement XR6101 Duration Vinyl Chair Back Cushion ONLY	\$140.00
XR-6101-10-C	Replacement XR6101 Duration Vinyl Headrest Cushion ONLY	\$78.00
XR-6101-Vinyl-UC	Upcharge Non Standard Vinyl XR6101 Upholstery Upcharge	\$290.00
XR-6101-ULTR-UC	Upcharge Ultra leather XR6101 Upholstery Upcharge	\$460.00

Lucent LED

Operatory Light





Extension Post Lengths (inches)

39"

29"

10' 9' 8'

Ceiling Height

Model L690-LED Ceiling mounted Lucent LED operatory light.

Packing Dimensions (L x W x H)	Weight
L900-08: 15 x 3 x 3	3 lbs.
L900-09: 30 x 3 x 3	5 lbs.
L900-10: 44 x 4 x 4	7 lbs.

#LP48 Light Post must be ordered if dental light is ordered separately **Specifications:**

Absorbed Power:	Max 8vA		L	ight intensity (Lu	ıx): 3	5,000 - 35,0	000 Lux	@ 700r	nm	
Input voltage:	110V/220V,	60/50 Hz		Cooling System:	S	tatic Heat	sink (no	fan)		
Output voltage:	24 Volts AC	/ DC	I	lumination area:	1	00mm x 18	80mm @	🤌 700m	m	
Description				Model			Sı	ıggeste	ed Ret	ail Price
Lucent LED Post M Lucent LED Post M Lucent LED Ceilin Lucent LED Ceilin Package includes (Mount Operatory ng Mounted Light ng Mounted Light	Light with moti (specify 8', 9' or	10' ceilir	ng)		525-LED	L6	90-LED I		\$1,280 \$1,430 \$1,840 ED\$1,990
Input voltage 110V				√		√		√	✓	
2 year warranty				✓		/		1	1	
Options:										Retail
RLL-H04	Replacement LED	light optical bu	lb group							\$250.00
RLL-H06	Replacement light	handle (Left and	d Right)							\$90.00
	Replacement shiel									\$73.00
	Replacement refle									\$96.00
	110 - 240 V Powe		out							\$78.00
	48" light post	117								\$149.00
	Ceiling post for 8'	ceiling height								\$176.00
L900-09	Ceiling post for 9'	ceiling height								\$176.00
L900-010	Ceiling post for 10)' ceiling height								\$176.00
cking Dimensions (L x W	7 x H) Weight									
L600: 38 x 17 x 15	28 lbs.									
L690: 38 x 17 x 15	34 lbs.									

Advance

Operatory Light



#LP48 Light Post must be ordered if dental light (#L800 or #L700) is ordered separately

Specifications:

Halogen lamp: 12 Volts, 55 Watts
Input voltage: 110V, 60 Hz
Output voltage: High 12V; Low 10.5V
Color temperature: 4500° K
Bulb type: H3

Light intensity (Lux): High 24,000; Low 12,000

Focal length: 27" (70 cm)

Illumination area: 3" x 7" at focal length

Shipping Dimensions: 26"L x 14"W x 8" H / 21 lbs.

Description		Model	Suggested Retail Price
Advance Operatory Light (white)		L700-1	\$920
Advance Operatory Light (Grey)		L700-1-G	\$920
Package includ	es the following:		
Input voltage 11	10V	✓	
1 year warranty		✓	
Options:			Retail
P901	Replacement light bulb		\$15.00
P702	Replacement light handle		\$52.00
P703-N	Replacement shield		\$27.00
P705	Replacement reflector		\$160.00
P56004-700	Transformer		\$120.00
LP-48	48" light post		\$149.00


Radiant LED

Operatory Light



Ceiling Kit : 15 x 15 x 9





Post 68": 73 x 3 x 3

19 lbs.

#LP48-RI Light Post must be ordered if dental light is ordered separately Specifications:

specifications:						
Absorbed Power	r: Max 8vA		Light intensity (Lux):	3,000 - 3	5,000 Lux @ 700mm	
Input voltage:	110V/220V, 60	50 Hz	Cooling System:	Static He	eat sink (no fan)	
Output voltage:	: 24 Volts AC / D	С	Illumination area:	100mm x	x 180mm @ 700mm	
Bulb type:	LED					
Description			Model		Suggested Ret	ail Price
Radiant LED Ope	eratory Light		R6101-LED			\$1,550
	eratory Light with mot			R6105-LED)	\$1,700
Radiant LED Ceil	ling Mounted Light (sp	ecify 9' or 10' cei	ling)		R6301-LED	\$2,750
	ling Mounted Light mo	tion sensor (spec	ify 9' or 10' ceiling)		R6305-LED	\$2,900
Package includes	the following:					
Input voltage 110	V - 240 Vac		✓	✓	✓	
2 year warranty			✓	✓	✓	
Options:						Retail
RLL-H04	Replacement LED ligh	t optical bulb gro	oup			\$250.00
RLL-H06	Replacement light han	dle (Left and Rig	ht)			\$90.00
RLL-H01	Replacement shield					\$73.00
RLL-H03 Replacement reflector / set of 2				\$96.00		
RLL-PS	110 - 240 V Power sup	ply in 24 V out				\$78.00
LP-48-RI	48" light post					\$149.00
R-08500	Wall Mount Bracket	Nylon Bushi	O			\$550.00
Packing Dimensions (L x '		#LP-RI-S	Included with models			
Arm: 45 x 20 x 7	14 lbs.	• OD 1 7/8"	R6101-LED, R6105-I	.ED	Packing Dimensions (L x W x I	-
Head: 14 x 14 x 9	6 lbs.	• ID 1 3/8"			Post 52": 57 x 3 x 3	13 lbs.

• ID 1 3/8"

13 lbs.

TPC 2 Year WARRANTY

Luminous

LED Operatory Light with PoliBlock Filter



#LP48-RI Light Post must be ordered if dental light is ordered separately **Specifications:**

Absorbed Power:	Max 8vA	Light intensity (Lux):	3,000 - 35,000 Lux @ 700mm
Input voltage:	110V/220V, 60/50 Hz	Cooling System:	Static Heat sink (no fan)
Output voltage:	24 Volts AC / DC	Illumination area:	100mm x 180mm @ 700mm
Bulb type:	LED		
Description		Model	Suggested Retail Price
Luminous LED Operatory Light		L-7601-LED	\$2,990
Package includes the	e following:		
Input voltage 110V -	240 Vac	✓	
2 year warranty		✓	
Options:		Retail	

Nylon Bushing

#LP-RI-S • OD 1 7/8"

• OD 1 7/8 • ID 1 3/8" Included with models R6101-LED, R6105-LED

Packing Dimensions (L x W x H)	Weight
Light: 37" x 16" x 15"	18 lbs.

Mobile Cabinet Systems



Utility Mobile Cabinet

#TMC-180

- 14.5" W x 16" D x 32" H
- designed for ultrasonic scalers, curing lights, electrasurge, intraoral cameras, etc.
- 1 instrument drawer
- 2 adjustable shelves
- 1 year warranty
- shipping dimensions: 24" x 24" x 37" / 72 lbs.



Doctor's Mobile Cabinet

#TMC-140

- 21.5" W x 19" D x 32" H
- 4 instrument drawers
- 3 storage drawers
- 1 year warranty
- shipping dimensions: 27" x 25" x 36" / 116 lbs.



Assistant's "Alabama" Mobile Cabinet

#TMC-160

- 21.5" W x 19" D x 32" H
- sliding counter top with amalgamator well
- 1 instrument drawer
- 2 storage drawers
- side to side sliding counter
- 1 year warranty
- shipping dimensions: 25" x 23" x 35" / 89 lbs.



Assistant's "North Carolina" Mobile Cabinet

#TMC-120

- 21.5" W x 19" D x 32" H
- solid top with pull handle
- amalgamator well drop leaf door
- 3 instrument drawers
- 1 storage drawer
- 1 year warranty
- shipping dimensions: 25" x 23" x 36" / 112 lbs.



- White will be shipped if color choice not indicated on purchase order
- Mobile cabinets ship on pallet via freight carrier

Description	Model (light grey)	Mode	l (white)	Suggested Retail Price
Utility Mobile Cabinet	TMC-180-G	TMC-1	80-W	\$340
Doctor's Mobile Cabinet	TMC-140-G	TMC-1	40-W	\$720
Assistant's "Alabama" Mobile Cabinet	TMC-160-G	TMC-1	60-W	\$720
Assistant's "North Carolina" Mobile Cabinet	TMC-120-G	TMC-1	20-W	\$720
Assistant's "North Carolina" Mobile Cabinet R	T pull out	TMC-1	120R-W	\$720
Package includes the following:	1			
External surfaces of high pressure laminate with complimentary white interior surface				
for easy cleaning. Smooth flowing ball	√	1	1	√
bearing glides. Durable casters.	•			•
Color choice: white or light grey.				
1 year warranty				

17" LCD Monitor

Multimedia Monitor





□ •• ○ ○ ○ ○ □ ·□ ·□

Multimedia Input port

\$500



- Glass panel
- 4:3 Screen
- DVD, Intraoral Camera READY!!
- Full 17" viewable TFT Active Matrix flat panel display
- Auto adjustment function
- Built-in dual speakers
- On screen display controls (OSDC)
- Recommended resolution: 1280 x 1024 (17")
- Universal 100-240 VAC, 50/60 Hz
- Gross weight: 11.6 lbs

17" LCD multi media monitor

- Includes: AC adapter, remote control, Monitor Handle, Camera Holder
- Connections: Video-in, HDMI, RGA-in, audio-in, DC-in, Flash Drive Media Player
- 1 year warranty

Description	Model	Suggested Retail Price	

Intraoral Camera Port

Shipping Dimensions 17" Monitor: 18" x 6" x 21" / 12 lbs. (2/cs.) 19" x 12" x 22" / 27 lbs.

LCD Monitor Brackets

Monitor Brackets



Standard LCD Monitor Bracket Delu

- easily position the angle of your monitor for maximum comfort and productivity
- 4-way pivot adjustment
- standard 75mm spacing
- 1 Year warranty

Packing Dimensions: 11" x 7" x 6" 6 lbs. (4/cs.) 15" x 12" x 11" 25 lbs.



Deluxe LCD Monitor Bracket

- 16" extension arm
- vertical and horizontal travel
- 4-way pivot adjustment
- standard 75mm spacing
- 1 Year warranty

Packing Dimensions: 14" x 12" x 6" 12 lbs.







Mirage Monitor Bracket

- 16" extension arm
- horizontal travel
- 4-way pivot adjustment
- standard 75mm spacing
- 1 Year warranty

Packing Dimensions: 15" x 10" x 5" 9 lbs.



Standard and Deluxe LCD Monitor Bracket may be wall mounted

• 1 year warranty



Expansion Plate for 100mm Spacing

• 1 year warranty

Description Model Suggested Retail Price Standard LCD Manitor Bracket WIC800 \$118

Standard LCD Monitor Bracket WIC800 \$118 Deluxe LCD Monitor Bracket with 16" Extension Arm WIC825 \$360 Mirage LCD Monitor Bracket with 16" Extension Arm **WIC840** \$190 Expansion Plate for 100 mm spacing pattern M100mm \$22 Wall Plate Adapter WIC865 \$90 Monitor Adapter for AdvanceCAM Intraoral Camera & Docking Station **WIC875** \$80


Super Thin

LED X-Ray Viwer





Countertop Unit



- Countertop, wall, or unit head mounted
- AC power source
- Sealed LED lights
- Instant illumination
- No grey in viewing area
- Viewing area accepts panoramic, cephalometric and regular size film
- 0.5" super thin viewer
- 1 year warranty



Wall Mounted







XV150-R *Mount to TPC Mirage Unit (Round Arm)

XV150-F *Mount to Flat Arm

Description	Model	Suggested Retail Price

Super Thin X-ray Viewer XV100 \$140

Package Dimensions: 17" x 11" x 2" / 3 lbs. (10/cs.) 17" x 11" x 19" / 28 lbs.

Options:		Retail
XV150-R	Xray viewer bracket (round cut-out) – mount to Mirage unit head (Round Arm)	\$80.00
XV150-F	Xray viewer bracket (flat cut-out) – mount to unit head (Flat Arm)	\$80.00
XV130	Replacement LED light strip	\$30.00
XV100-PSW	W Viewer replacement power supply	\$24.00
XV100-CLI	P Viewer replacement Clip (3 Pack)	\$16.00



Advance Cam Intraoral Camera

Corded Direct USB Camera System

AIC5899



Specifications

• Imager Sony 1/4" CCD

• Capture Size 640 X 480

• Light Source 6 White LEDs

• Power USB 5VDC

• Frame Rate 30 fps MAX

•PC connection USB 2.0 Port











Intel Pentium 4 .15 GHZ or Higher

512 MB RAM or higher

Windows XP or higher

USB 2.0 port



Corded Direct USB Camera System AIC5899 \$790


Options:		Retail
AIC500	Advance Cam Barriers, 500 / Box	\$170.00
AIC930	Advance Cam Camera Holder	\$30.00
AIC928-USB	Advance Cam USB Camera Cable	\$63.00

TPC

Advance Cam Intraoral Camera

Mini SD Card Camera System













Specifications

Imager
Capture Size
Light Source
Power
Supported Mini SD
Sony 1/4" CCD
640 X 480
White LEDs
5VDC
Up to 16GB



Description

Model

Suggested Retail Price

Mini SD Card Camera System (Both Corded and Cordless)

AIC 5855-PKG (Includes: AIC5855+5901+5111) \$1,090

Options:	Retail
AIC5855 Advance Cam Intraoral Camera (Corded Only) with Mini SD Card	\$760
AIC5901 Mini SD Cam Power Supply	\$150
AIC500 Advance Cam Barriers, 500 / Box	\$170
AIC5111 Camera Mounted LCD Display 2.5"	\$140



Advance Cam Intraoral Camera

Cordless USB Camera System



AIC5888

AIC5900



Specifications

• Imager Sony 1/4" CCD

• Capture Size 640 X 480

• Light Source 6 White LEDs

• Power USB 5VDC

• Frame Rate 30 fps MAX

•PC connection USB 2.0 Port

• Power USB port 5V DC

• Frequency 2.4 Ghz

System Requirements

Intel Pentium 4 .15 GHZ or Higher

512 MB RAM or higher

Windows XP or higher

USB 2.0 port







\$960

Description Model Suggested Retail Price

Cordless USB Camera System WL-USBCAM-PKG (Includes: AIC5888+705+5900)

Patail

Options:		<u> Retail</u>
AIC5888	Advance Cam Intraoral Camera	\$680.00
AIC 705	Wireless USB Receiver	\$180.00
AIC 5900	Wireless Transmitter	\$196.00
AIC8.5v	Transmitter Charger	\$28.00
AIC5111	Camera Mounted LCD Display 2.5"	\$140.00
AIC500	Advance Cam Barriers, 500 / Box	\$170.00

TPC

Advance Cam Intraoral Camera


Corded Camera & Docking Station System



SD Memory Card Storage



Optional AIC5111



Specifications

• Imager Sony 1/4" CCD

• Capture Size 640 X 480

• Light Source 6 White LEDs

• Power USB 5VDC

• Frame Rate 30 fps MAX

• Connections AV & Composite VGA, HDMI

• Frequency 2.4 Ghz

• Memory Micro SD 4 gb

AIC5888

System RequirementsIntel Pentium 4 .15 GHZ or Higher

512 MB RAM or higher

Windows XP or higher

Optional: USB 2.0 port







Description Model Suggested Retail Price

Corded Camera & Docking Station System AIC5888-5925W-KT (includes AIC5888+AIC5925) \$1,130

Options:		Retail
AIC5888	Advanace Cam Intraoral Camera	\$680.00
AIC5925	Advance Cam Docking Station	\$520.00
AIC930	Advance Cam Camera holder	\$30.00
AIC5111	Camera Mounted LCD Display 2.5"	\$140.00
AIC500	Advance Cam Barriers, 500 / Box	\$170.00
AIC966	Wifi adaptor	\$150.00



Advance Cam Intraoral Camera

Cordless Camera & Docking Station System







Specifications

Imager Sony 1/4" CCD
Capture Size 640 X 480
Light Source 6 White LEDs
Power USB 5VDC - 12VDC

• Frame Rate 30 fps MAX

• Connections USB, AV, Composite, VGA, HDMI

• Memory SD Memory Card 4 GB

• Frequency 5.8 Ghz







Description Model Suggested Retail Price

Cordless Camera & Docking Station System WL-CAM+DS-PKG \$1,380 (Includes: AIC5888+5925W+5900+5920)

Options: Retail AIC5888 \$680.00 Advanace Cam Intraoral Camera AIC5925 Advance Cam Docking Station \$520.00 AIC 5900 Wireless Transmitter \$196.00 AIC5111 Camera Mounted LCD Display 2.5" \$140.00 AIC500 Advance Cam Barriers, 500 / Box \$170.00 AIC5920 Wireless Receiver \$140.00 AIC966 Wifi Adaptor \$150.00

17" LCD Monitor

Multimedia Monitor / Camera Combo



- 17" Monitor features a High Definition resolution of 1280 X 1024
- Full USB port allows for easy image transfer
- High Definition real time video input allows for quick playback and easy patient diagnosis
- Camera buttons are easily accessible to control capture and playback functions
- Camera is illuminated with six bright LEDs; giving the best contrast, definition and resolution
- Camera features an automatic gain control to automatically adjust the light intensity to the CCD
- Input supports: USB, VGA, HDMI and AV.
- Medial playback format includes: MP3 audio, MP4 video and JPG images
- Adjustments on monitor include: Contrast, brightness and color
- Monitor comes equipped with a medical grade tempered glass front panel to minimize scratches
- Monitor Language supported: English, Chinese, Spanish, German, Portuguese and Arabic
- 4gb memory card (included) allows for easy image transfer and patient file management
- · Easy integration of LCD monitor with camera on the dental delivery unit due to no additional cabling needed



Description	Model	Suggested Retail Price
17" LCD monitor with integrated IO camera (corded) Includes: MO17, AIC5855A,	AIC2IN1W	\$1,200.00
17" LCD monitor with integrated IO camera (wireless) Includes: MO17, AIC5855A, AIC5920, AIC5900	AIC2IN1WL	\$1,490.00
Options:		Retail
AIC500 Advance Cam Barriers, 500 / Box		\$170.00

17" LCD Monitor

Multimedia Monitor / Camera Combo





Features:

- Camera features a 1/4" High Definition image sensor
- 17" Monitor features a High Definition resolution of 1280 X 1024
- Full USB port allows for easy image transfer
- Camera buttons are easily accessible to control capture and playback functions
- Camera is illuminated with six bright LEDs; giving the best contrast, definition and resolution
- Camera features an automatic gain control to automatically adjust the light intensity to the CCD
- 5.8 GHz wireless transmission protocol
- Four channel wireless transmitter (AIC5900) and receiver (AIC5920)
- Input supports: USB, VGA, HDMI and AV.
- Medial playback format includes: MP3 audio, MP4 video and JPG images
- Adjustments on monitor include: Contrast, brightness and color
- Monitor comes equipped with a medical grade tempered glass front panel to minimize scratches
- Monitor Language supported: English, Chinese, Spanish, German, Portuguese and Arabic
- 4gb memory card (included) allows for easy image transfer and patient file management
- Optional WIFI transmitter allows images to be diasplayed on stand alone LCD monitor and remote computers simultaneously for easy consultation and image management transfer.
- Easy integration of LCD monitor with camera on the dental delivery unit due to no additional cabling needed

Descripti	on	Model	Suggested Retail Price
	nonitor with integrated IO camera corded	AIC3IN1W	\$1,500.00
17" LCD monitor with integrated IO camera wireless Includes: MO17DS, AIC5888 A, AIC5920, AIC5900		AIC3IN1WL	\$1,780.00
Options:			Retail
AIC500	Advance Cam Barriers, 500 / Box		\$170.00
AIC966	Wifi Adapter		\$150.00

Shipping Dimensions 17" Monitor: 18" x 6" x 21" / 12 lbs. (2/cs.) 19" x 12" x 22" / 27 lbs.

EMC - 900

eTornado Electric Motor System





eTornado Electric Motor Features:

- Fiber Optic Brushless Electric Motor
- Two programmable settings for each mode
- Push Button control for easy operation
- Light weight, compact ergonimical design
- Counter top system is easy to install and integrate
- Universal e-type connector compatable with most
- Speed range from 100 200,000 rpm

Specifications

- 2 General / Basic Endo Modes
- e-type attachment / coupling
- Manual reverse
- Unit Dimentions

4.5"W X 5.25" D X 2.5"H

- Motor weight: 87 grams
- Motor Length: 50mm
- Input Voltage: 100 240 Vac
- Output Voltage: 30Vac

Easy to install and integrate with any dental unit.

Description		Model	Suggested Retail Price
e Tornado Electric M	lotor System - Counter top	EMC-900	\$1,900
Package includes the	following:		
e Tornado Electric Mo	otor System - Counter top	✓	
Power Pack		✓	
HP Tubing		✓	
E600 Electric Motor u	p to 40,000 rpm	✓	
Options			
EMA150-FG	1:5 Friction Grip Attachment		\$1,160
EMA110-CA	1:1 Contra Angle Attachment		\$1,060
EMP30	Power Supply 30Vac, 4A for cor	trol box	\$140.00

Shipping Dimensions: 11" x 11" x 5" / 5 lbs.

EMB - 901

eTornado Electric Motor System









eTornado Electric Motor Features:

- Fiber Optic Brushless Electric Motor
- Two programmable settings for each mode
- Push Button control for easy operation
- Light weight, compact ergonimical design
- Built in system pre wired for easy installation
- Universal e-type connector compatable with most
- electric attachments
- Speed range from 100 200,000 rpm

Specifications

- 2 General / Basic Endo Modes
- e-type attachment / coupling
- Manual reverse
- Unit Dimensions
 4.5"W X 5.25" D X 2.5"H
- Motor weight: 87 grams
- Motor Length: 50mm
- Input Voltage: 100 240 Vac

Description		Model	Suggested Retail Price
eTornado Built in Elec	etric Motor System	EMB-901	\$1,790
Package includes	the following:		
e Tornado Electric	: Motor System - Built in	✓	
Power Pack		✓	
HP Tubing		✓	
E600 Electric Mot	or up to 40,000 rpm	✓	
Options			
EMA150-FG	1:5 Friction Grip Attachment		\$1,160
EMA110-CA	1:1 Contra Angle Attachment		\$1,060

Shipping Dimensions:

EMA-150FG

High Speed Contra Angle Attachment




Description	Model	Suggested Retail Price
1:5 Friction Grip Attachment	EMA-150FG	\$1,160
1:1 Contra Angle Attachment	EMA-110CA	\$1,060
Package includes the following:		
Push Button Auto Chuck	✓	
Quatro Water Spray	✓	
Speed Range up to 200,000 rpm	✓	
Attachment to electric motor w/ E-type connection	✓	
Max Lux of 32,000	✓	

Shipping Dimensions:

High Speed Handpieces Overview

All High Speed Handpieces Use Ceramic Bearings



Fiber Optic Handpieces

Triple Water Spray | Push Button | Auto Chuck | Ceramic Bearing



Premius Series









LQM 666 (K,N,S)



Standard Head



Mini Head

FIBER OPTIC QUICK CONNECTORS

(Swivel)







FSK5 Kavo Type 5 Hole



FSN6 NSK Type 6 Pin

Description	Model	Suggested Retail Price
Kavo Type Fiber Optic HP <u>Standard</u> Head w/Triple Water Spray Fits Kavo Connector	LQS666K	\$690
Kavo Type Fiber Optic HP <u>Mini</u> Head w/Triple Water Spray Fits Kavo Connector	LQM666K	\$690
6 Hole (ISO-C) Fiber Optic Connector Fits Handpiece with KAVO "Multiflex" Quick Connector System	FSK6	\$240
5 Hole (Midwest) Fiber Optic Connector Fits Handpiece with KAVO "Multiflex" Quick Connector System	FSK5	\$240
NSK Type Fiber Optic HP <u>Standard</u> Head w/Triple Water Spray Fits NSK Connector	LQS666N	\$690
NSK Type Fiber Optic HP <u>Mini</u> Head w/Triple Water Spray Fits NSK Connector	LQM666N	\$690
6 Hole (ISO-C) Fiber Optic Connector Fits Handpiece with NSK Quick Connector System	FSN6	\$240
Star Type Fiber Optic HP <u>Standard</u> Head w/Triple Water Spray Fits Star Connector	LQS666S	\$690
Star Type Fiber Optic HP Mini Head w/Triple Water Spray Fits Star Connector	LQM666S	\$690

Non-Fiber Optic Handpieces

Triple Water Spray / Push Button / Auto Chuck / Ceramic Bearing





Standard Head





Non-Fiber Optic w/Triple Water Spray

QM 555 (K,N,S)

Mini Head

NON-FIBER OPTIC QUICK CONNECTORS

(Swivel)

SK4 Kavo Type 4 Hole



SN4 NSK Type 4 Hole

Description	Model	Suggested Retail Price
Kavo Type Non-Fiber Optic HP <u>Standard</u> Head w/Triple Water Spray Fits Kavo Connector	QS555K	\$520
Kavo Type Non-Fiber Optic HP <u>Mini</u> Head w/Triple Water Spray Fits Kavo Connector	QM555K	\$520
4 Hole Non-Fiber Optic Connector Fits Handpiece with KAVO "Multiflex" Quick Connector System	SK4	\$130
NSK Type Non-Fiber Optic HP <u>Standard</u> Head w/Triple Water Spray Fits NSK Connector	QS555N	\$520
NSK Type Non-Fiber Optic HP <u>Mini</u> Head w/Triple Water Spray Fits NSK Connector	QM555N	\$520
4 Hole Non-Fiber Optic Connector Fits Handpiece with NSKQuick Connector System	SN4	\$130
Star Type Non-Fiber Optic HP <u>Standard</u> Head w/Triple Water Spray Fits Star Connector	QS555S	\$520
Star Type Non-Fiber Optic HP <u>Mini</u> Head w/Triple Water Spray Fits Star Connector	QM555S	\$520

Non-Fiber Optic Handpieces (Standard Back End)

Triple Water Spray | Push Button | Auto Chuck | Ceramic Bearing

Triton Series









S504 M4 / S506 M4

Standard Head





Non-Fiber Optic w/Triple Water Spray

S504 M4 / M506 M4

Mini Head

Description	Model	Suggested	l Retail Price
Non-Fiber Optic HP <u>Standard</u> Head w/Triple Water Spray Standard Back End-4 Hole	S504M4 / S	506M4	\$490
Non-Fiber Optic HP <u>Mini</u> Head w/Triple Water Spray Standard Back End-4 Hole	M504M4 /]	M506M4	\$490
Non-Fiber Optic HP <u>Standard</u> Head w/Triple Water Spray Standard Back End-2 Hole	S502B2		\$490
Non-Fiber Optic HP <u>Mini</u> Head w/Triple Water Spray Standard Back End-2 Hole	M502B2		\$490

Non-Fiber Optic Handpieces

Single Water Spray / Push Button / Auto Chuck / Ceramic Bearing



NON-FIBER OPTIC QUICK CONNECTORS

(Swivel)



ST4 TPC Type 4 Hole

Description	Model	Suggested Retail Price
Non-Fiber Optic HP (Standard Head) with Single Water Spray Fits TPC Connector	QS222	\$440
Non-Fiber Optic HP (Mini Head) with Single Water Spray Fits TPC Connector	QM222	\$440
4 Hole Non-Fiber Optic Connector Fits Handpiece with TPC Quick Connector System	ST4	\$80

Non-Fiber Optic Handpieces (Standard Back End)

Single Water Spray / Push Button / Auto Chuck / Ceramic Bearing



Non-Fiber Optic w/Single Water Spray M333M4 Mini Head

Mini Head

Description	Model	Suggested Retail Price
Push Button Autochuck (Standard Head) with Single Water Spray Standard Back End -4 Hole	S333M4	\$310
Push Button Autochuck (Mini Head) with Single Water Spray Standard Back End -4 Hole	M333M4	\$310
Push Button Autochuck (Standard Head) with Single Water Spray Standard Back End -2 Hole	S333B2	\$310
Push Button Autochuck (Mini Head) with Single Water Spray Standard Back End -2 Hole	M333B2	\$310

Exomus Series



ELM 744: Air Motor, Speed range up to 20,000 rpm, forward / reverse speed adjustment



ELS 736: Transmission 1:1, speed range up to 20,000 rpm



ELCA 760: Transmission 1:1, push button autochuck, for latch burs



ELCA 762: Transmission 1:1, latch type, for latch burs

Inximus Series



ILM 844: Air Motor, Speed range up to 20,000 rpm, forward / reverse speed adjustment, internal air/water coolant



ILS 836: Transmission 1:1, internal water spray



ILCA 860:Transmission 1:1, internal water spray, push button auto chuck for latch burs



Description	Model	Suggested Retail Price
External Water Low Speed Complete package includes	ELK700-M4	\$748
(air motor, straight nose cone HP, Push button contra angle HP)		
External Water Low Speed Complete package includes	ELK702-M4	\$618
(air motor, straight nose cone HP, Latch type contra angle HP)		
Low Speed Motor, External Water, 20,000 rpm (4 hole)	ELM744-M4	\$320
Low Speed Motor, External Water, 20,000 rpm (2 hole)	ELM722-B2	\$320
Straight nose cone HP, 1:1	ELS736	\$178
Push button contra angle HP, Complete 1:1	ELCA-760	\$320
Latch type contra angle HP, Complete 1:1	ELCA-762	\$178
Internal Water Low Speed Complete package includes	ILK800-4	\$1,360
(air motor, straight nose cone HP, push button contra angle HP)		
Low Speed Motor (Internal Water) 20,000 rpm-4 hole	ILM844-4	\$500
Straight nose cone HP, 1:1	ILS836	\$480
Push Button Contra Angle HP, Complete 1:1	ILCA860	\$500

Prophy Aide

Hygiene Prophy Handpiece



Description	Model	
Prophy Aide Hygine Handpiece	PH-777 (Red)	\$398
Prophy Aide Hygine Handpiece Package includes the following:	PH-777 (BLK)	\$398
4 Hole fixed back end	✓	
5,000 RPM	✓	
Twist open chuck	✓	
360 Head Swivel Capabilities	✓	
Forward and Reverse operation	✓	

Fiber Optic Light Source

Light Source Package



H 7070 Fiber Optic Light Bulb Cartridge



H 7040 Fiber Optic 5-Hole Tubing



H 7020 Control Board



H 7045 Fiber Optic 6-Pin Tubing



H 7090 Fiber Optic Transform



H 7660 - 6 Pin



H 7000 - 5 Hole

Package includes: H7020+H7045+H7090

Package includes: H7020+H7040+H7070+H7090

Description	Model	Suggested Retail Price
TPC Fiber Optic Light Source System- 6 Pin Package includes: Control board, Fiber Optic HP Tubing, Transformer	H7660	\$238
TPC Fiber Optic Light Source System- 5 Hole Package includes: Control board, Fiber Optic HP Tubing, Transformer, Bulb Cartridge	H7000	\$278
TPC Fiber Optic Control Board (accepts two Fiber Optic HP Tubing)	H7020	\$129
TPC Fiber Optic HP Tubing-6 Pin, Grey	H7045	\$108
TPC Fiber Optic HP Tubing- 5 Hole, Grey	H7040	\$108
TPC Fiber Optic Light Bulb Cartridge	H7070	\$50
TPC Fiber Optic Light Source Transformer	H7090	\$22

Replacement Turbines & Parts Handpiece Replacement Parts

	REPLAC Item #	EMENT TURBINES Description	Retail
8	TRT 110S	Replacement turbine fits Tornado HP LQS 666, QS 555, Standard Head	\$250
	TRT 115M	Replacement turbine fits Tornado HP LQM 666, QM 555, Mini Head	\$250
	TRT 120S	Replacement turbine fits Tornado HP S333, Standard Head	\$218
	TRT 122S	Replacement turbine fits Tornado HP QS222, Standard Head	\$218
	TRT 125M	Replacement turbine fits Tornado HP QM222, M333, Mini Head	\$218
	TRT 130	Push button turbine fits Kavo Super Torque 630 B/C and 640 B/C	\$250
	TRT 135	Push button turbine fit for Kavo Super Torque 647B and 649 B	\$250
	TRT 140	Push button turbine fit for Kavo Bella Torque 639B/C and 642 B/C	\$250
	TRT 145	Push button turbine fit for Kavo Mira 635 B	\$250
	TRT 150	Push button turbine fit for Star 430 Series Handpiece	\$250
	TRT 155	Turbine fit for Midwest Quiet Air L F.O & Non F.O. HP	\$250
	TRT 160	Turbine fit for Midwest Tradition L F.O & Non F.O. HP	\$250
	TRT 165	Turbine fit for Midwest Tradition F.O & Non F.O. HP	\$130
	TRT 170	Turbine fit for Midwest XGT/Tradition PB F.O & Non F.O. HP	\$250
0 0	REPLAC	EMENT PARTS	
	Item #	Description	Retail
	TRP 213	Replacement Light Bulb for FSK6 (Kavo Type Quick Connector)	\$27
ΓRP 213 TRP 215	TRP 215	Replacement Light Bulb for FSN6 (NSK Type Quick Connector)	\$27
- IRI 21)	TRP 220	Back Cap Removal Tool for LQS 666, QS 555	\$18
	TRP 222	Back Cap Removal Tool for LQM 666, QM 555	\$18
	TRP 224	Back Cap Removal Tool for QS 222	\$18
	TRP 226	Back Cap Removal Tool for QM 222, M 333	\$18
	TRP 228	Back Cap Removal Tool for S 333	\$ 7
	TRP 231	Replacement Push Button Cap for LQS 666, QS 555	\$46
	TRP 233	Replacement Push Button Cap for LQM 666, QM 555	\$46
	TRP 235	Replacement Push Button Cap for QS 222	\$46
000	TRP 237	Replacement Push Button Cap for QM 222, M 333	\$46
\sim 00	TRP 239	Replacement Push Button Cap for S 333	\$46
TRP 240	TRP 240	Replacement O Ring for FSK6, FSK5, Sk4 (Pack of 5 (2 white, 3 black))	\$9.50

H6000

Handpiece Lubrication System

Product Features


- Economical, efficient and time-saving
- A fail-safe maintenance solution for your office
- Filtered air used to rotate handpieces for safety
- Care for most handpieces and all handpieces brands
- Disposable mist filtration system
- Solution level indicator
- Detachable door for easy cleaning of unit
- Easy replenishment of solution tank
- Air Pressure guage
- Oil flow control valve



- Simple to Operate
 - Optimizes Performance









H6025
•1 high speed positions
•2 low speed E-type motor



H6155-NSK

NSK maintenance coupler





H6145-MW Quick Connect for Midwest Slow Speed



H6160-BienAir BienAir maintenance coupler



H6175-E-Type 4 Hole to E-Type Adaptor

Descriptio	n	Model		Suggest	ed Retail Price
H6000 Hand	lpiece cleaning and lubrication system	H6000			\$1,250
	lpiece cleaning and lubrication system		H6005		\$1,300
H6025 Hand	lpiece cleaning and lubrication system			H6025	\$1,350
Package incl	udes the following:				
3 high speed	handpiece positions	✓			
2 high speed	/ 1 low speed E-type Motor		1		
1 high speed	/ 2 low speed E-type Motor			✓	
Mist filters (p	pack of 12)	✓	1	✓	
Lubrication fl		✓	1	✓	
Air filter		✓	1	✓	
Options:					Retail
H6125	Lubrication fluid				\$40.00
11/120	M° , $C1$, $(-1, C12)$				¢20.00

H6130 Mist filter (pack of 12) \$20.00 H6135 Oil absorbent door strips (pack of 20) \$16.00 H6150-Kavo Kavo Type HP adapter \$102.50 H6155-NSK NSK Type HP adapter \$102.50 H6160-BienAir Bien Air Type HP apapter \$102.50 W&H Type HP adapter H6165-W&H \$102.50 H6145-MW Quick Connect for Midwest Slow Speed \$102.50 H6175-E-Type 4 Hole to E-Type Adaptor \$102.50

Packing Dimensions: 17"L x 15"W x 18"H / 24 lbs.

Advance 2500



LED Bleaching System



- Quiet fan operation
- Multi-arch whitening application
- Three high intensity LED's
- Digital display with audio feedback
- High power Blue and UV light emitting diodes
- Compact mobile stand for easy storage
- Adjustable bleaching time with microprocessor-controlled timer
- Smart auto-select power: 110-240 Volts AC, 50/60 Hz
- LED bleaching system includes illuminator, mobile base, adjustable arm, power cord & user manual
- 1 year warranty

Specifications:

95–490 nm
,500 mW/cm ²
4 lbs.
0" (H) X 20" (W)
10-240 V / 50-60 Hz
1" x 21" x 6" / 14lbs.



Description	Model	Suggested Retail Price
Advance 2500 LED Bleaching Light	ALED 2500	\$1,300
Package includes the following:		
Advance 2500LED Bleaching Light	✓	
Mobile stand	\checkmark	
AC power supply	\checkmark	
1 Year warranty	✓	

LED 70N

Cordless Curing Light System



Features

- Low battery signal visual and audible alarm
- Easy to read LCD display
- High light intensity 5 to 10 second cure
- No down time
- Flexibility corded and cordless light cure
- Quiet fan extends life of LED
- Sleep mode conserves power, saves battery life
- Fast mode 3 output modes 2,000 1,500 1,000
- Built-in radiometer

Specifications and Accessories

Switching Power Adapter

Power supply: AC 100-240V / 50-60 Hz Dimensions: 10"L x 2"W x 8"H

Hand Piece

P117

Light source: 10W light


emitting diode

Wavelength: 430-490 nm Light Intensity: 2,000 mW/cm² Battery: Lithium ion




Standard Accessories

- LED 70 Handpiece
- Charging base
- 8mm light guide
- Eye protector
- Lithium ion battery
- Power supply
- User's Manual









Time (sec) 0.25



\$105.00

Description Model Suggested Retail Price

LED 70 Cordless Curing Light	ALED-70	\$640
Package includes the following:		

ackage includes the following.	
LED 70 Cordless Curing Light	✓
Charging Base	✓
Protective Eye-shield	✓
Countertop Stand with Power Indicator	✓
8mm Light Guide	✓
Built-in radiometer	✓
AC power supply	✓

Options:		Retail
P109-LG	Replacement light guide (8mm)	\$78.00
P208	Replacement protective eye-shield	\$10.00
ALED 70N-BATT	Replacement rechargeable battery for LED 70	\$80.00

Shipping Dimensions: $11"L \times 8"W \times 4"H / 3 \text{ lbs.}$ (10/cs.) $18"L \times 12"W \times 16"H / 25 \text{ lbs.}$

11mm light guide

LED 60N

Cordless Curing Light System



Features

- Low battery signal visual and audible alarm
- Easy to read LCD display
- High light intensity 5 to 10 second cure
- No down time
- Flexibility corded and cordless light cure
- Quiet fan extends life of LED
- Sleep mode conserves power, saves battery life
- Built-in radiometer

Specifications and Accessories

Switching Power Adapter

Power supply: AC 100-240V / 50-60 Hz Dimensions: 10"L x 2"W x 8"H


Hand Piece


Light source: 5W light

emitting diode


Wavelength: 430-490 nm Light Intensity: 1,400 mW/cm² Battery: Lithium ion







TPC



Standard Accessories

- LED 60 Handpiece
 Charging base
- Charging base
- 8mm light guide
- Eye protector
- Lithium ion battery
- Power supply
- User's Manual

Description Model Suggested Retail Price

LED 60N Cordless Curing Light ALED-60N \$490

Package includes the following:

i ackage includes the following:	
LED 60N Cordless Curing Light	✓
Charging Base	✓
Protective Eye-shield	✓
Countertop Stand with Power Indicator	✓
8mm Light Guide	✓
Built-in power radiometer	✓
AC power supply	✓

Options:		Retail
P109-LG	Replacement light guide (8mm)	\$78.00
P219	Replacement protective eye-shield	\$10.00
ALED 60N-BATT	Replacement rechargeable battery for LED 60	\$60.00
P117	11mm light guide	\$105.00

Shipping Dimensions: $11"L \times 8"W \times 4"H / 3 lbs$.

(10/cs.) 18"L x 12"W x 17"H / 24 lbs.

LED 55N

Cordless LED Curing Light

Specifications

• Battery: Lithium Ion, DC 3.6-4.2V

• Power adapter: 90-250V AC, 50-60 Hz

• Charging base: 9V DC

• Power consumption: 5 W LED

• Wavelength range: 430-490 nm

• Light Intensity: 1,250 mW / cm²

• Dimensions: 7"L x 1"W x 1"H

• Weight: 160 g • Warranty: 2 year

Charging Stand Light Indicators

LED color	Light Strength
Green	Normal
Orange	Light strength insufficient

Curing Status Light Indicators

Curing Mode Light Indicators

Working Mode

LED color

Green Red

Orange

LED color	Status Indication
Green	Normal
Red	Battery Voltage Low
Red Flashing	LED curing light handpiece
	is over temperature

Benefits

- Ergonomic, light weight design
- High intensity output up to 1 hour before recharging
- Cordless for ultimate convenience
- Cures most materials in 5-10 seconds
- Curing time: 20 seconds per cycle with beep every 10 seconds
- 2 Batteries included.




Charging Stand



ALED55N-1-G


ALED55N-1-R

ALED55N-1-B



D -- -- -- -- -- --

AC Power Supply



Fast curing: Time setting 20 seconds (every 10 second, it sounds once)

Pulse curing: interrupt radiating (every 10 seconds, it sounds once)

Step curing: soft start for 10 second from 0 to full power, then full power during the later 10 second





Madal

LM-300

Description	Model	Suggested Retail Price
LED 55N Cordless Curing Light Silver	ALED55N-1-G Silver	\$470
LED 55N Cordless Curing Light Blue	ALED55N-1-B Blue	\$470
LED 55N Cordless Curing Light Red	ALED55N-1-R Red	\$470
Package includes the following:		
LED 55N Cordless Curing Light	✓	
Charging stand with power indicator	✓	
Protective Eye-Shield	✓	
LED 55N Cordless Curing Light Red Package includes the following: LED 55N Cordless Curing Light Charging stand with power indicator		

Options:		Retail
P109-LG	Replacement Light Guide for LED 55 (8mm)	\$78.00
ALED55N-BATT	Replacement Battery	\$80.00
P219	Replacement Protective Eye-shield	\$10.00
P117	11mm Light Guide	\$105.00
LM300	Curing Light Meter	\$150.00

Shipping Dimensions: 10"L x 7"W x 4"H / 3 lbs. (10/cs.) 21"L x 11"W x 14"H / 24 lbs.

LED 55BN

Built-in Curing Light System

Specifications

Wavelength range: 430-490 nm
Light Intensity: 1,250 mW / cm²

• Warranty: 2 year

• Power consumption: 5 W LED





LM-300

Model ALED55-BN m²

Curing Mode Light Indicators


LED color	Working Mode
Green	Fast curing: Time setting 20 seconds (every 10 second, it sounds once)
Red	Pulse curing: interrupt radiating (every 10 seconds, it sounds once)
Orange	Step curing: soft start for 10 second from 0 to full power, then full power during the later 10 second







LED color	Status Indication
Green	Normal
Red Flashing	LED curing light handpiece is over temperature



Description Model Suggested Retail Price

LED 55BN Built-in Curing Light (LED 5W installed in dental unit)ALED55BN-A (110V - 240V)

LED 55BN Built-in Curing Light (LED 5W installed in dental unit)ALED55BN-E (24V)

\$390

Package includes the following:

Turbo Light Guide	✓	
Protective Eye-Shield	✓	
Options:		Retail
P109-LG	Replacement light guide for LED 55B	\$78.00
P219	Replacement protective eye-shield	\$10.00
LED 55BN-PS110	Replacement Power Supply 110V - 240V	\$60.00
LED 55BN-PS24	Replacement Power Supply 24V	\$60.00
P117	11mm Light Guide	\$105.00
LM300	Curing Light Meter	\$150.00
11 0	: 10"L x 6"W x 2"H / 2 lbs.) 21"L x 11"W x 12"H / 27 lbs.	

LED 50N

Cordless Curing Light System

\$150.00



Specifications and Accessories

Switching Power Adapter

Power supply: AC 100-240V / 50-60 Hz Dimensions: 10"L x 2"W x 8"H

Hand Piece

Light source: 5W light

emitting diode

Wavelength: 430-490 nm

Light Intensity: 800 - 1000 mW/cm²

Battery: Lithium ion

Standard Accessories

- LED 50N Handpiece
- Charging base
- 8mm light guide
- Eye protector
- Lithium ion battery
- Power supply

LM300

• User's Manual







Description		Model	Suggested Retail Price
LED 50 Cordless	Curing Light	ALED-50	\$390
Package includes	0 0		
LED 50 Cordless	Curing Light	√	
Charging Base		✓	
Protective Eye-shie	eld	✓	
Countertop Stand	with Power Indicator	✓	
8mm Light Guide		✓	
Built-in power trai	nsformer	✓	
AC power supply		✓	
Options:			Retail
P109-LG	Replacement light guide (8mm)		\$78.00
P208	Replacement protective eye-shield		\$10.00
LED 50-BATT	Replacement rechargeable battery for LED 50		\$63.00
P117	11mm Light Guide		\$105.00

Shipping Dimensions: 10"L x 8"W x 5"H / 2 lbs. (10/cs.) 24"L x 10"W x 16"H / 20 lbs.

Curing Light Meter

LED 39N

Curing Light System



Specifications

- Class: Class II (ICE601-1)
- Wavelength range: 430-490 nm
- Light Intensity: 1,000 mW / cm²
- Warranty: 2 year



Standard Accessories

- LED 39 Handpiece
- Stand
- 8mm Light Guide
- Eye protector
- Power supply
- User Manual


Built-in 24 V Direct LED39BN


Curing Mode Light Indicators


LED color	Working Mode
Green	Fast curing: Time setting 20 seconds (every 10 second, it sounds once)
Red	Pulse curing: interrupt radiating (every 10 seconds, it sounds once)
	Step curing: soft start for 10 second from 0 to full power, then full power during the later 10 second

Curing Status Light Indicators

LED color	Status Indication
Green	Normal
Red Flashing	LED curing light handpiece is over temperature
	is over temperature







Description

ALED 39N	

Suggeste	d H	leta1	l Price

LED 39N Curing Light	ALED 39N	\$360
LED 39BN Curing Light	ALED 39BN (24V)	\$360
Package includes the following:		

LED 39 Curing Light	✓
8mm Light Guide	/
Protective Eye-Shield	✓

Stand Built-in Power Transformer

Options: Retail

P109 Replacement light guide for LED 39N \$78.00 P219 \$10.00 Replacement protective eye-shield ALED 39N-PS Replacement Power Supply \$42.00

Shipping Dimensions: 13"L x 7"W x 3"H / 2 lbs.

(20/cs.) 24"L x 14"W x 14"H / 30 lbs.

Power Light 150

Halogen Curing Light



Specifications

- Output light intensity: 500-600 mW/cm²
- Output wavelength range: 400-500 nm
- Preset curing times from 10 to 60 seconds or continuous cure
- LCD digital display
- Maintains constant light output and curing strength
- 8 mm light guide, protective eye shield and instruction manual included
- Powerful 75 Watt bulb
- Ultra quiet fan
- 1 year warranty (bulb excluded)



Description	Model	Suggested Retail Price
Power Light 150 Halogen Curing Light	PL-150	\$350
Package includes the following:		
Power Light 150 curing light	✓	
8mm x 60° curing tip	✓	
Protective eye-shield	✓	
1 Year warranty	✓	
Options:		Retail
P105 8mm x 60 degree curing tip for general curing		\$78.00
P201 Replacement bulb, 12V, 75W		\$29.00

Shipping Dimensions: 13"L x 9"W x 7"H / 6 lbs.

(5/cs.) 32"L x 14"W x 10"H / 30 lbs.

Power Light 100

Halogen Curing Light



Specifications

- Output light intensity: 500-600 mW/cm²
- Output wavelength range: 400-500 nm
- Preset curing times from 10 to 60 seconds or continuous cure
- LCD digital display
- Maintains constant light output and curing strength
- 8 mm light guide, protective eye shield and instruction manual included
- Powerful 75 Watt bulb
- Ultra quiet fan
- 1 year warranty (bulb excluded)

Lighting Guides

P101	13mm straight for large facial surface
P102	13mm x 80° for posterior occlusal curing
P103	8mm x 60° for general curing
P106	8mm - 3mm x 80° for layer curing of posterior restoration

Description	Model	Suggested Retail Price
Power Light 100 Halogen Curing Light	PL-100	\$399
Package includes the following:		
Power Light 100 curing light	✓	
8mm x 60° curing tip	✓	
Protective eye-shield	✓	
1 Year warranty	✓	

Option	ns:	Retail
P101	13mm straight curing tip for large facial surface	\$105.00
P102	13mm x 80 degree curing tip for posterior occlusal curing	\$105.00
P103	8mm x 60 degree curing tip for general curing	\$78.00
P106	3mm x 90 degree curing tip for layer curing of posterior restoration	\$105.00
P201	Replacement bulb, 12V, 75W	\$29.00
P203	Protective eye shield for Power Light 100	\$17.00
L0005	Blue light filter + heat absorber (set).	\$42.00
Shippin	ng Dimensions: 12"L x 9"W x 6"H / 6 lbs.	
	(4/cs.) 18"L x 13"W x 12"H / 26 lbs.	

LM300

Curing Light Meter





Description	Model	Suggested Retail Price
LED Light Meter	LM-300	\$150
Package includes the following:		
LED Light Meter	✓	
Battery	✓	
1 Year warranty	✓	
Shipping Dimensions: 8"L x 4"W x 2"H / 1 lbs.		

Advance 850LED

LED Piezo Scaler w/Bottle System



Standard Scaler Features

- Compact unit housing for easy placement anywhere in the operatory
- Extremely gentle on patient, causes little or no sensitivity
- No heat build up in handpiece tip with extended use
- Autoclavable handpiece
- Extensive power range to allow widest choice of clinical applications includes General, Perio and Endo
- Fine water spray eliminates excessive overspray onto patient
- Bottle water or External water source
- 5 tips included with unit
- Endodontic file holder & files included
- Easy and rapid operating for root canal treatment
- Achieve enlargement of canal quickly
- 1 year warranty

Technical Data Included tips Endo file Holder

- Absorbed Power: Max 15W
- Scaler: Max 10W, 24 -28kHz, automatic tuning
- Water Pressure: 30 145 PSI
- Water Consumption: 10 50 cc/min
- Approvals: ETL, according to UL 2601 1
- Classification according to Medical Device
- Directive 93/42 EEC: Class 11a





Description Model Suggested Retail Price Advance 850-LED Piezo Ultrasonic Scaler & Endodontic Unit A850-LED \$820 Package includes the following: ✓ Advance 850-LED piezo ultrasonic scaler with handpiece ✓ G1, G2, G4, P4, P5 tips ✓ Foot control ✓ Tip wrench ✓ Water Bottle ✓ Endo file holder + files ✓

Options:		Retail
A760	Endo files and holder (21mm #25)	\$72.00
A761	Piezo scaler tip #G1	\$29.00
A762	Piezo scaler tip #G2	\$29.00
A763	Piezo scaler tip #P3 Slim	\$29.00
A767	Piezo scaler tip #G4	\$29.00
A764	Piezo scaler tip #P4	\$29.00
A766	Piezo scaler tip #P5	\$29.00
A746	Piezo scaler handpiece w/ LED	\$270.00
A776	Tip wrench	\$21.00
A749	Piezo scaler O-rings (5 pack)	\$8.40
A778	Replacememt Water line	\$28.00
A775	Replacement scaler foot control	\$84.00

Shipping Dimensions: 18"L x 14"W x 5"H / 6 lbs. (4/cs.) 18"L x 15"W x 21"H / 26 lbs.

Advance 750LED

LED Piezo Scaler

Standard Scaler Features

- Compact unit housing for easy placement anywhere in the operatory
- intense LED Light Source
- Extremely gentle on patient, causes little or no sensitivity
- No heat build up in handpiece tip with extended use
- Autoclavable handpiece
- Extensive power range to allow widest choice of clinical applications
- Fine water spray eliminates excessive overspray onto patient
- Thin subgingival tips available
- 5 tips included with unit

Optional Endodontics Unit Features

- Endodontic file holder
- Easy and rapid operating for root canal treatment
- · Achieve enlargement of canal quickly



- Input rating: 115/230V, 50/60 Hz
- Dimensions: 160mm(W) x 155mm(D) x 70mm(H)
- Weight: 2.1 kg
- Frequency: 32 KHz
- Water pressure: 1-4 kg/cm²
- Fuses: 230V, 2 per unit ; F0.5A 250V-CQ-S500
- Fuses: 110V, 1 per unit; F1A 5A 250V-CQ-S500
- 3 tips included with unit
- 1 year warranty (tips excluded)

Descri	ption	Model	Sugges	ted Retail Price
Advance 750N Piezo Ultrasonic Scaler & Endodontic Unit		A750N	A750LED	\$560
	e 750N Piezo Ultrasonic Scaler & Endodontic Unit W/LED		A/ JULED	\$640
Package	e includes the following:			
Advance	e 750N piezo ultrasonic scaler with handpiece	✓		
#G1, #G	G2, #G3, #P4, #P5 tip	✓	✓	
Foot co	ntrol	✓	✓	
Tip wre		\checkmark	✓	
Advance	e 750 LED handpiece		✓	
Option	ns:			Retail
A760	Endo files and holder (21mm #25)			\$72.00
A761	Piezo scaler tip #G1			\$29.00
A762	Piezo scaler tip #G2			\$29.00
A763	Piezo scaler tip #P3 (slim)			\$29.00
A764	Piezo scaler tip #P4			\$29.00
A766	Piezo scaler tip #P5			\$29.00
A767	Piezo scaler tip #G4			\$29.00
A745	Piezo scaler handpiece			\$190.00
A746	Piezo sclaer handpiece w/LED			\$270.00
A776	Tip wrench			\$21.00
A749	Piezo scaler O-rings (5 pack)			\$8.40
A778	Replacememt Water line			\$28.00
A775	Replacement scaler foot control			\$84.00
Shippin	ng Dimensions: 13"L x 10"W x 5"H / 5 lbs. (8/cs.) 21"L x 14"W x 18"H / 42 lbs.			

Advance 800N

Piezo Ultrasonic Built-In Scaler

A800N A800LED







Features

- Extremely gentle on patient, causes little or no sensitivity
- No heat build up in handpiece tip with extended use
- Autoclavable handpiece
- Extensive power range to allow widest choice of clinical application
- Fine water spray eliminates excessive overspray onto patient
- Thin subgingival tips available
- 5 tips included with unit
- 1 year warranty (tips excluded)

Additional Benefits

- The Advance 800N eliminates the need for external water line and power cord connections
- The Advance 800N operates from unit foot control no additional foot control needed

(10/cs.) 14"L x 10"W x 18"H / 40 lbs.

 The Advance 800N allows for a clean appearing operatory eliminating all visible tubes and power lines.

Description



- Transformer: 24V, 1 amp
- Activated by unit foot control no additional foot control needed
- Small electronic box, 2-3/8"L x 1.5"W x 1.25"H
- Easy tip system allows tips to be changed easily
- Absorbed power: max 15 watt
- Scaler: max 10 watt, 24-28 kHz, automatic tuning

Suggested Retail Price

- Water pressure: 30-145 PSI
- Water consumption: 10-50 cc/min
- No external water line / power cord
- 1 year warranty (tips excluded)

Descri	puon	Model	Sugges	led Retail Frice
Advance	e 800N Piezo Ultrasonic Built In Scaler	A800N		\$490
Advance	e 800N Piezo Ultrasonic Built In Scaler W/LED		A800LED	\$570
Package	e includes the following:			
Advance	e 800N piezo ultrasonic scaler with handpiece	✓		
#G1, #G	G2, #G4, #P4, #P5 tip	✓	✓	
Tip wre	nch	✓	✓	
Transfo		✓	✓	
Control	box	✓	✓	
Advance	e 800 LED handpiece		✓	
Option	ns:			Retail
A760	Endo files and holder (21mm #25)			\$72.00
A761	Piezo scaler tip #G1			\$29.00
A762	Piezo scaler tip #G2			\$29.00
A763	Piezo scaler tip #P3 (slim)			\$29.00
A764	Piezo scaler tip #P4			\$29.00
A766	Piezo scaler tip #P5			\$29.00
A767	Piezo scaler tip #G4			\$29.00
A745	Piezo scaler handpiece			\$190.00
A746	Piezo sclaer handpiece w/LED			\$270.00
A776	Tip wrench			\$21.00
A749	Piezo Scaler O-rings (5 pack)			\$8.40
Shippi	ng Dimensions: 9"L x 7"W x 4"H / 4 lbs.			

Model

PowerMAX25

Ultrasonic Scaling System



Features

- Available in 25Khz
- Precision automatic tuning circuitry
- Linear power control for exact power setting
- Accepts Cavitron*, P, SLI, TFI, and FSI scaler inserts
- Compact and lightweight
- Auto-ranging 110-240 VAC input
- Includes one ultrasonic scaler insert and foot control
- 1 year warranty

Specifications

Weight: 6 lbs

Dimensions: 8"(W) x 8"(D) x 3"(H)

Output power to tip: Operatory adjust approximately 10-40 watts

Handpiece cable: 7.5'

Power supply to unit: 110-240 VAC Input, 50/60 Hz

Water flow and supply pressure: 18 cc to 30 cc per minute flow from insert tip

Supply pressure to scaler is 25-60 PSIG city water or bottle system

Description	Model	Suggested Retail Price
PowerMAX25 Ultrasonic Scaler with insert	PM25	\$690
Package includes the following:		
PowerMAX ultrasonic scaler	✓	
25K universal scaler insert	\checkmark	
Foot control	\checkmark	
1 year warranty	✓	

Options:		Retail
S1025	25K universal insert–external water flow	\$70.00
S1030	30K universal insert- external water flow	\$70.00
S2025	25K universal slim insert- external water flow	\$70.00
S2030	30K universal slim insert- external water flow	\$70.00
S3025	25K universal insert- plastic handle- internal water flow	\$70.00
S3030	30K universal insert- plastic handle- internal water flow	\$70.00
S4025	25K universal slim insert- plastic handle- internal water flow	\$70.00
S4030	30K universal slim insert- plastic handle- internal water flow	\$70.00
S8001	25K Replacement handpiece w/ Tubing	\$100.00
PM775	Power Max replacement foot control	\$76.00
A778	Replacement water line 6' long with male quick disconnect (with shut off)	\$28.00

Shipping Dimensions: 12"L x 12"W x 4"H / 8 lbs. (5/cs.) 18"L x 13"W x 14"H / 38 lbs.

Ultrasonic Scaler Inserts



#S1025

25K Universal Scaler Insert (metal handle)

#S1030

30K Universal Scaler Insert (metal handle)

Features

- External water
- Interchangeable for use with other brands of scalers
- 90 day warranty against defects arising from faulty materials or workmanship



25K Universal Slim Scaler Insert

#S2030

30K Universal Slim Scaler Insert (metal handle)

Features

- Slim tip design
- External water
- Interchangeable for use with other brands of scalers
- 90 day warranty against defects arising from faulty materials or workmanship



#S3025

25K Universal Scaler Insert (plastic handle)

#\$3030

30K Universal Scaler Insert (plastic handle)

Features

- Internal water delivery system delivers water directly to the insert tip and focuses it where it is needed most
- Large, round, non-slip plastic grip for greater tactile sensitivity, rotational control and reduced hand fatigue
- Better water management and less water usage means greater patient comfort
- Interchangeable for use with other brands of scalers
- 90 day warranty against defects arising from faulty materials or workmanship



25K Universal Slim Scaler Insert (plastic handle)

#S4030

30K Universal Slim Scaler Insert (plastic handle)

Features

- Internal water delivery system delivers water directly to the insert tip and focuses it where it is needed most
- Large, round, non-slip plastic grip for greater tactile sensitivity, rotational control and reduced hand fatigue
- Better water management and less water usage means greater patient comfort
- Interchangeable for use with other brands of scalers
- 90 day warranty against defects arising from faulty materials or workmanship

Model	Description	Retail
S1025	25K universal insert–external water flow	\$70.00
S1030	30K universal insert- external water flow	\$70.00
S2025	25K universal slim insert- external water flow	\$70.00
S2030	30K universal slim insert- external water flow	\$70.00
S3025	25K universal insert- plastic handle- internal water flow	\$70.00
S3030	30K universal insert- plastic handle- internal water flow	\$70.00
S4025	25K universal slim insert- plastic handle- internal water flow	\$70.00
S4030	30K universal slim insert- plastic handle- internal water flow	\$70.00
S8003	Ultrasonic Scaler insert O-rings (5 pack)	\$10.00

Shipping Dimensions: 9"L x 2"W x 1"H / 1 lbs.

AS 5000

Sonic Air Scaler



Description	Model		Suggested Retail Price	
Air Sonic Scaler -4 Hole Kit	AS5000-M4		\$270	
Air Sonic Scaler -2 Hole Kit		AS5000-B2	\$270	
Package includes the following:				
AS5000 Air sonic scaler handpiece	✓	✓		
ASI Universal Tip	✓	✓		
AS2 Sickle Tip	✓	✓		
AS3 Perio Tip	✓	✓		
A776 Tip Wrench	✓	✓		
6 Month warranty				
Options:			Retail	
AS1 Universal Tip			\$24.00	
AS2 Sickle Tip			\$24.00	
AS3 Perio Tip			\$24.00	

Shipping Dimensions: $9L \times 4W \times 2H / 1$ lbs.

Air Polishing System

Polishing System

Model P557

Model P555

EZ Nozzle

- Carefully designed length, angle and curve of nozzle for applications to both anterior and posterior teeth. Allows for accurate direction of the power jet
- Includes two prophy nozzles
- Handpiece nozzle is fully autoclavable up to 134 °C / 273 °F

Ergo Comfort Design

• Fits comfortably in large and small hands. Notched grip allows firm and accurate tip control

Lightweight & Flexible

No Installation Cost

- Simply connects to handpiece tubing
- No extra foot control needed
- No external air or water connections needed

Cleaning Power

• Jet Polishing powder (130g) has a refreshing lemon scent

Powder Holder Covers

• Three translucent color coded holder covers are included (blue, green, purple)

Quick Connection

• Simply pull back the quick release ring to release the nozzle from the handpiece





P560

Descri	ption	Model		Suggested Retail Price
	shing System	P555-4H		\$240
Air Polis	shing System		P557-4H	\$280
Package	e includes the following:			
1 - 130	g of prophy powder	✓	✓	
3 – colo	r coded (red, blue, green) powder holder covers	✓		
2 - nozz	zles (360 degree swivel)	✓	✓	
1 – clear	ning tool	✓	✓	
1 – O-ri	•	✓	✓	
1 year w		✓	✓	
Option	ns:			Retail
P560	130g of prophy powder			\$14.00
P660	Nozzle for P555			\$50.00
P665	Nozzle for P557			\$60.00

Shipping Dimensions: $9L \times 8W \times 3H / 2$ lbs.

(10/cs.) 13"L x 13"W x 10"H / 12 lbs.

Ultrasonic Cleaner

Dentsonic UC 400 / 1000



Features

- Powerful 40 KHz of cavitation for thorough, quieter cleaning
- Stainless steel cover and tank with welded drain
- Durable vinyl clad steel housing is scratch resistant and easy to clean
- Digital timer for quick and easy process
- Sweep technology ensures exceptional cleaning efficiency
- 1 year warranty
- 2 tank sizes availabel 3.8 qt / 10.6qt
- Includues basket and lid

MODEL	UC-400	UC-1000
Input 115V	₽	✓
Input 230V	✓	✓
Frequency	50/60 Hz	50/60 Hz
Overall	10.6" x 6.3" x 9.5"	14.2" x 10.6" x 12.2"
Dimensions L x W x H	27cm x 16cm x 24cm	36cm x 27cm x 31cm
Tank Internal	9.5" x 5.5" x 4"	11.8" x 9.5" x 5.9"
Dimensions L x W x H	24cm x 14cm x 10cm	30cm x 24cm x 15cm
Ship Weight	10 lbs.	19 lbs.
omp weight	4.5 Kg	8.6 Kg
Tank Capacity	3.8 Qts. / .95 Gallon 3.59 Liter	10.6 Qts. / 2.65 Gallon 10 Liter
Timer	LCD Display 1-99 minutes	LCD Display 1-99 minutes
302 StainlessSteel	√	✓

UC-400 14 "L x 11"W x 3"H / 11 lbs.

UC-1000 17 "L x 15"W x 16"H / 21 lbs.

Description	Model		Retail Price
UC-400 Ultrasonic Cleaner (3.8 qt.) UC-1000 Ultrasonic Cleaner (10.6 qt)	UC-400 UC-1000		\$570 \$1080
Package includes the following:			
Ultrasonic cleaner	✓	√	
Stainless steel basket	✓	✓	
Stainless steel lid	✓	✓	
Drain kit		✓	
Timer	✓	✓	

Options Retail Price

Dentsonic

Ultrasonic Clean<u>e</u>r



Features

- Powerful 35 KHz of cavitation for thorough, quieter cleaning
- Stainless steel tank
- Durable plastic housing is scratch resistant and easy to clean
- Digital timer for quick and easy process
- Sweep technology ensures exceptional cleaning efficiency
- 2 tank sizes available 2.5qt., 3.0qt.
- Includues basket and lid
- 1 year warranty

Shipping Dimensions

UC-250	14"L x 11"W x 10"H / 8 lbs. (4/cs) 23L x 15W x 20H / 35lbs.
UC-300	20"L x 14"W x 12"H / 16 lbs. (2/cs) 20"L x 14"W x 24"H / 34Lbs

UC-300

UC-250

Model	UC-250	UC-300
Input 115Vac	✓	✓
Input 220Vac	✓	✓
Frequency	50/60 Hz	50/60 Hz
Overall dimensions	12.6" x 9.6" x 8.0"	17.5" x 10.8" x 8.1"
Tank Internal Dimensions	9.8" x 6.0" x 3.0"	9.8" x 7.0" x 3.0"
Shipping Weight	8 lbs	13 lbs
Tank Capacity	2.5 qt, 0.65 Gal, 2.46 L	3.0 qt, 0.8 Gal, 3.028 L
Digital Timer	LCD Display 1-30 min	LCD Display 1-30 min
302 Stainless Steel Tank	√	√

Suggested Retail Price

Description

UC-250 Ultrasonic Cleaner 2.5 Qt	UC-250	\$250
UC-300 Ultrasonic Cleaner 3.0 Qt	UC-300-S	\$350

Model

Package includes the following:

Ultrasonic cleaner	✓	1
Basket	✓	✓
lid	✓	✓
Drain kit		1
Digital timer	✓	1
Heater	/	1

Features

- Powerful 35 KHz of cavitation for thorough, quieter cleaning
- Stainless steel tank
- Durable plastic housing is scratch resistant and easy to clean
- Digital timer for quick and easy process
- Sweep technology ensures exceptional cleaning efficiency
- 2 tank sizes available
 - 1.6 Gallon
 - 2.0 Gallon
- Includues basket and lid
- 1 year warranty

UC-600

Shipping Dimensions

UC-600 23 "L x 16"W x 14 "H / 23 lbs.

UC-750 24 "L x 16"W x 14"H / 27lbs.





Dentsonic

Model	UC-600	UC-750
Input 115Vac	✓	✓
Input 220Vac	√	√
Frequency	50/60 Hz	50/60 Hz
Overall dimensions	21.0" x 12.0" x 9.6"	21.3" x 13.3" x 10.9"
Tank Internal Dimensions	13" x 8.0" x 4.0"	13" x 9.4" x 4.1"
Shipping Weight	20 lbs	25 lbs
Tank Capacity	6.4 qt, 1.6 Gal, 6.056 L	8 qt, 2 Gal, 7.5 L
Digital Timer	LCD Display 1-30 min	LCD Display 1-30 min
302 Stainless Steel Tank	✓	✓

Suggested Retail Price

Description

		00
UC-600 Ultrasonic Cleaner 1.6 Gallon	UC-600-S	\$600
UC-750 Ultrasonic Cleaner 2.0 Gallon	UC-750	\$798

Model

Package includes the following:

8		
Ultrasonic cleaner	✓	1
Basket	✓	✓
lid	✓	1
Drain kit		✓
Digital timer	✓	1
Heater	√	1

Dentsonic Ultrasonic Cleaner Cassette Cross reference

851 South Lawson Street City of Industry CA 91748 • tpcdental.com • 800-560-8222

	UC-250	UC-300	UC-400	UC-600	UC-750	UC-1000
Tank Size (L x W x H)	9.6" x 5.9" x 3.0"	9.8" x 6.9" x 3.1"	9.5" x 5.5" x 4"	12.7" x 8.1" x 3.9"	12.5" x 9" x 3.5"	11.8" x 9.5" x 5.9"
Hu-Friedy						
Large Cassette 16-Instruments				√	✓	
8" x 11" x 1.25"				•	V	
Large Cassette 20-Instruments			✓	./	_/	./
4.5" x 8" x 1"			V	•	V	V
Small Cassette 8-Instruments 5.5" x 8" 1.25"	✓	✓	✓	✓	✓	✓
Small Cassette 10-Instruments 5.5" x 8" x 1.25"	✓	✓	✓	✓	✓	✓
Exam Cassette 5-Instrument				/		1
3" x 8" x 1.25"	✓	✓	✓	✓	✓	✓
Space Saver 7-Instrument				/		1
4.5" x 8" x 1"	✓	✓	✓	✓	✓	✓
Double Decker Cassette 8-Inst.						
3" x 8" x 1.5"	✓	✓	✓	✓	✓	✓
Double Decker Cassette 14-Inst.						/
4.5" x 8" x 1.5"	✓	✓	✓	✓	✓	✓
Double Decker Cassette 20-Inst.						/
6" x 9.7" x 1.5"		✓	✓	\checkmark	✓	✓
Signa Stat Cassette 12-Inst.					,	
6.5" x 10.5" x 1.25"				✓	✓	✓
Oral Surgery Cassette 12-Inst.						
8" x 14.5" x 1.25"						
Radiography Cassette						
4.5" x 8" x 1.5"		✓	✓	✓	✓	√
Handpiece Cassette			1	/		/
3" x 8" 1.25"	✓	✓	✓	✓	✓	✓
Ultrasonic Insert Cassette			1	/	/	/
1.5" x 8" x 1.25"	✓	✓	✓	✓	✓	✓
	•	•	•		•	•
Zirc						
E-Z Jett Cassette 10-Place				/		/
7.93" x 7" x 1.125"				✓	✓	✓
E-Z Jett Cassette 8-Place	/		/	1	/	/
7.93" x 4.4375" x 1.125"	✓	✓	✓	✓	✓	✓
E-Z Jett Cassette 5-Place				/	_	
8" x 3.125" x 1.1875"		✓	✓	✓	✓	✓
Compact Cassette			1	/		/
7.125" x 3.875" x 0.625"		✓	✓	✓	✓	✓
Mini Matt	/	/	/	1	1	1
3.875" x 3.5" x .5"	~	✓	✓	✓	✓	✓
Instrument Mat	1	/	√	/	1	/
6.75" x 2" x 0.375"	~	✓	✓	✓	✓	✓
Standard Steri-Container	1	1	1	/	1	/
8.125" x 1.875" x 1.875"	~	✓	✓	✓	✓	✓
Compact Steri-Container		√	√		1	
7.125" x 1.5" x 1.5"	V	V	V	V	V	V

Warning: There should absolutely be NO metal-metal contact inside of the tank during ultrasonic cycle
This includes No direct: Loose Instrument-to-Instrument, Cassette-to-Tank, Cassette-to-Cassette, Cassette-to-Basket; metal
contact. Make sure Cassettes have standard silicone insulations and feet; if no basket is used.
Tank Dimensions are measured without baskets; basket sizes vary depending on unit.

Please contact your cassette manufacturer or TPC if you have any questions.

D650N

Digital Amalgamator

Model D-650N



Features

• ISO 9002 / ISO 13488 quality management certified

(2/cs.) 20"L x 14"W x 10"H / 20 lbs.

- Input voltage: 110V or 230V
- Touch pad selector
- Pre-programmed time settings
- Quiet, high-speed mix capsules
- Built-in automatic timer
- Accepts all capsules
- Customized trituration times
- Vibration frequency ≥ 4,400 RPMs
- 1 year warranty

Description	Model	Suggested Retail Price
D650 Digital Amalgamator	D-650N	\$380
Package includes the following:		
D650 digital amalgamator	✓	
AC power cord	✓	
Shipping Dimensions: 13"I v 10"W v 10"H / 10 lbs		

Micromotor and Handpiece



Features

- Powerful torque and variable speed motor
- No heat after long hours of operation
- Easy change of driving direction for efficiency
- Variable speed foot control
- Compact and ergonomic design
- Automatic stop with alarm beep and overload reset
- Includes control unit, motor handpiece and foot pedal
- 0-35,000 RPMs
- 110/220V; 50/60Hz, 0.7A
- 1 year warranty

Description		Model	Suggested Retail Price
TPC Marathon N	7 Micromotor and Handpiece	MM7	\$550
TPC Marathon N	2 Micromotor and Handpiece	MM2	\$470
Package includes	the following:		
N7 micromotor as	nd handpiece	✓	
AC power cord		✓	
Foot pedal		✓	
Options:			Retail
MM7-HP	Handpiece only with cable		\$330.00
MM7-MOTOR	Motor Control Box		\$330.00
MM7-VFC	Replacement Foot control		\$64.00
MM7-BR	Replacement Carbon Brushes		\$15.00
11 0	sions: 11"L x 11"W x 5"H / 7 lbs. (8/cs.) 24"L x 12"W x 21"H / 58 lbs.		

Disposable Micro Applicators



• Four individual dispenser tubes included with each box

Part No.	Description	Retail	1 Case	3+ Case
M6500-R	Disposable Micro Applicators, 400 ct. (Green / Orange)	\$17.50/Box	\$12.00/Box	\$10.00/Box
M6500-F	Disposable Micro Applicators, 400 ct. (Yellow / Blue)	\$17.50/Box	\$12.00/Box	\$10.00/Box
M6500-SF	Disposable Micro Applicators, 400 ct. (White / Purple)	\$17.50/Box	\$12.00/Box	\$10.00/Box
M6500-XSL	Disposable Micro Applicators, 400 ct. (Black)	\$17.50/Box	\$12.00/Box	\$10.00/Box
Package includ	es the following			

Package includes the following:

Four dispenser tubes, 100 brushes per tube

Shipping Dimensions: 4"L x 4"W x 5"H / 1 lbs. (36/cs.) 17"L x 13"W x 15"H / 35 lbs.

Features

- Non- linting fibers
- Bendable stiff tip
- Dispensing tubes elminate the potential for cross contamination.

Disposable Syringe Tips

Description Retail 1 Case 3+ Case

P7700 Disposable White Syringe Tip

P7700-Bulk-refill (1600 pcs) Does not include dispenser

- Metal Interior
- 250 tips / box
- Syringe tip dispensers included (125 tips per dispenser)
- 36 boxes per case





\$40.00/ box \$30.00/box \$24.00/ box \$192.00

Features

- No adapter required fits most syringes (Unless converting from proprietary tip adapter)
- Interchangeable with metal syringe tip
- Available in a variety of bright colors
- Dispensing container reduces the risk of cross contamination

Shipping Dimensions: 6"L x 3"W x 4"H / 2 lbs.

36/cs 18"L x 13"W x 14"H / 48 lbs.

Bulk refill 40/cs 18"L x 10"W x 9"H / 33 lbs.

Description

P7705 Disposable White Syringe Tip P7705-Bulk-refill (1600 pcs) Does not include dispenser

- Plastic Interior
- 250 tips / box
- Syringe tip dispensers included (125 tips per dispenser)
- 36 boxes per case





 Retail
 1 Case
 3+ Case

 \$30.00/ box
 \$22.00/box
 \$16.00/ box

 \$140.00
 \$22.00/box
 \$16.00/ box

Features

- No adapter required fits most syringes (Unless converting from proprietary tip adapter)
- Interchangeable with metal syringe tip
- Available in a variety of bright colors
- Dispensing container reduces the risk of cross contamination

Shipping Dimensions: 6"L x 3"W x 4"H / 1 lbs.
36/cs 18"L x 13"W x 14"H / 32 lbs.
Bulk refill 40/cs 18"L x 10"W x 9"H / 18 lbs.

Description

P7725 Rainbow Syringe Tip

P7725-Bulk-refill (1600 pcs) Does not include dispenser

- Rainbow colored interior tip
- 250 tips / box
- 2 Syringe tip dispensers included (125 tips per dispenser)
- 36 boxes per case





 Retail
 1 Case
 3+ Case

 \$30.00/ box
 \$22.00/box
 \$16.00/ box

\$140.00 **Features**

- No adapter required fits most syringes (Unless converting from proprietary tip adapter)
- Interchangeable with metal syringe tip
- Available in a variety of bright colors
- Dispensing container reduces the risk of cross contamination

Shipping Dimensions: 6"L x 3"W x 4"H / 1 lbs. 36/cs 18"L x 13"W x 14"H / 32 lbs. Bulk refill 40/cs 18"L x 10"W x 9"H / 18 lbs.

Disposable Prophy Angles



(Purple Color / Soft Cup)

(Blue Color / Firm Cup)

- Latex free
- Individually packaged

20 Boxes/case PA1448 Boxes/case PA500

Shipping Dimensions, Qty. **500**: 13"L x 11"W x 8"H / 4 lbs. (8/cs.) 22"L x 14"W x 32"H / 36 lbs.

Shipping Dimensions, Qty. **144**: 10"L x 7"W x 6"H / 1 lbs. (20/cs.) 20"L x 14"W x 29"H / 29 lbs.

Part No.	Description	Retail	1 Case	3+ Case
PA144-F	Disposable prophy angles, 144 ct., Firm	\$58.00/Box	\$49.00/Box	\$45.00/Box
PA500-F	Disposable prophy angles, 500 ct., Firm	\$188.00/Box	\$170.00/Box	\$150.00/Box
PA144-S	Disposable prophy angles, 144 ct., Soft	\$58.00/Box	\$49.00/Box	\$45.00/Box
PA500-S	Disposable prophy angles, 500 ct., Soft	\$188.00/Box	\$170.00/Box	\$150.00/Box

Disposable Evacuator Tips



SAT-SW Small (25 tips / bag) White

Shipping Dimensions: 11"L x 7"W x 9"H / 5 lbs. (160/cs)23"L x 15"W x 18"H / 37 lbs.

Part No.DescriptionSAT-SWSmall Surgical Aspirator Tip (1/8") WhiteSAT-LGLarge Surgical Aspirator Tip (1/4") Green

Minimum Order 1 box



SAT-LG Large (25 tips / Bag)Green

Shipping Dimensions: 11"L x 7"W x 9"H / 6 lbs. (160/cs)23"L x 15"W x 18"H / 46 lbs.

1 Box (20 Bags)	8 Box (160 Bags)
\$58.00	\$52.00
\$66.00	\$60.00



 $\begin{array}{c} {\rm HVE\text{-}1000} \\ {\rm (100~tips~/~bag)~x~10~Bags} \end{array}$

Shipping Dimensions: $12"L \times 10"W \times 10"H / 8 \text{ lbs.}$ (40 bag/cs)20"L x 13"W x 21"H / 32 lbs.

Part No.	Description	1 box	+20 box
HVE-1000	High Volume Combo Tip (10 bags / box)	\$35.00/box	\$32.00/box

Lab Products



2" Crown Box



1" Crown Box



Honey Comb Tray W/ Metal Pin



Honey Comb Tray W/ Ceramic Pin



Dowl Pin



Disposable Articulators Black



Disposable Articulators White

Part No.	Description	Retail
LAB-CRWBX-2	Plastic Crown Box W/ 2" Foam 500 / cs (Blue)	\$148.00
LAB-CRWBX-2BLK	Plastic Crown Box W/ 2" Foam 500 / cs (Black)	\$148.00
LAB-CRWBX-1	Plastic Crown Box W/ 1" Foam 1000 / cs (Blue)	\$182.50
LAB-CRWBX-1BLK	Plastic Crown Box W/ 1" Foam 1000 / cs (Black)	\$182.50
LAB-HC-MP	Honey Comb Tray W/ Metal Pin	\$11.30
LAB-HC-CP	Honey Comb Tray W/ Ceramic Pin	\$13.50
LAB-DP-M	Medium Dowl Pin 1000 / Bx	\$29.00
LAB-DART-WH	Disposable Articulators White 100 / Bag	\$17.50
LAB-DART-BLK	Disposable Articulators Black 100 / Bag	\$15.50

Disposable Prophy Cups & Brushes



Description			Model	Retail
Latch type prophy brush	flat / white	pkg of 144	PB-300	\$38.00
Latch type prophy brush	flat / black	pkg of 144	PB-310	\$40.00
Screw-on type prophy brush	flat / white	pkg of 144	PB-320	\$36.00
Screw-on type prophy brush	pointed / white	pkg of 144	PB-330	\$36.00
Latch type prophy brush	pointed / white	pkg of 144	PB-340	\$38.00
Latch type prophy brush	pointed / black	pkg of 144	PB-350	\$40.00
Latch type prophy brush	cup shade / white	pkg of 100	PB-360	\$38.00
Latch type prophy brush	cup shade / bristle	pkg of 100	PB-370	\$42.00
Latch type prophy cup	webbed / white	pkg of 144	PC-505	\$22.00
Screw-on type prophy cup	webbed / white	pkg of 144	PC-515	\$25.00
Pointed-on prophy cup	webbed / white	pkg of 144	PC-525	\$25.00
Snap-on prophy cup	webbed / white	pkg of 144	PC-535	\$12.00

Shipping Dimensions: 4"L x 3"W x 2"H 1lbs.

Alligator X-ray Film Holder - Straight



Part No.	Description	Retail
M7000-S	Alligator film holder (straight)	\$10.80
• Straight		

• Box of 3

Post Mount Utility Tray



Shipping Dimensions: 17"L x 10"W x 3"H / 2 lbs. (20/cs.) 25"L x 22"W x 18"H / 38 lbs.

FILM MOUNTS

Buy 3, Get 1 FREE! Clear Pocket Mounts

Same Style Only

The ultimate in film protection, with clear pockets that hold all sizes, with full visibility.

All packages include 100 mounts each. All mounts are Buy 3, Get 1 FREE!

	Catalogue #	Description	Retail Price
TPC	CP102U	Universal Select and Cut Roll of 500 Stripes of 2 mounts (1000 Windows)	\$ 43.00
	CP1C	One Window Convertible	\$ 12.50
	CP2H	Two Window Horizontal	\$ 14.00
	CP4C	Four Window Convertible	\$ 19.00
\blacksquare	CP4H	Four Window Horizontal	\$ 19.00
	СР6Н	Six Window Horizontal	\$ 20.50
	CP4H2V	Six Window - 4 Horizontal - 2 Vertical	\$ 21.50
	CP8C	Eight Window Convertible	\$ 25.50
	CP8P	Eight Window Pedo 2H #2 6H#0	\$ 27.00
	CP10C	Ten Window Convertible	\$ 30.00
	CP8H6V	Fourteen Window - 8 Horizontal - 6 Vertical	\$ 35.00
	CP12H6V	Eighteen Window - 12 Horizontal - 6 Vertical	\$ 40.00
Dr. Name Date	CPTAG	Name Tag 100 / Pkg	\$ 6.00

FILM MOUNTS

Open Window Mounts

Buy 2, Get 1 FREE!

Same Style Only

Ten window film mounts provide excellent contrast for viewing. Safely store radiographs and films. Easy loading.

All packages include 100 mounts each. Open window mounts are Buy 2, Get 1 FREE!

1 0	Catalogue #	Description	Retail Price
	W1H2	One Window Horizontal #2 Film	\$ 12.00
	W2H0	Two Window Horizontal #0 Film	\$ 13.00
•••	W2H2	Two Window Horizontal #2 Film	\$ 13.00
	W2H3	Two Window Horizontal #3 Film	\$ 13.60
	W4H0	Four Window Horizontal #0 Film	\$ 18.50
0000	W4H2	Four Window Horizontal #2 Film	\$ 18.50
	W4H2V2	Six Window - 4 Horizontal - 2 Vertical #2 Film	\$ 22.00
	W6H2	Six Window Horizontal #2 Film	\$ 22.00
	W8H2	Eight Window Horizontal #2 Film	\$ 27.00
	W8H6V2	Fourteen Window - 8 Horizontal - 6 Vertical #2 Film	\$ 34.00
	W12H6V2	Eighteen Window - 8 Horizontal - 6 Vertical - 4 BW #2 Film	\$ 44.00
	W10BW2	Ten Window BW #2 Film	\$ 33.00
	W20BW2	Twenty Window History Mount #2 Film	\$ 56.00

FILM MOUNTS

Notched Mounts

Buy 2, Get 1 FREE!

Same Style Only

Easy opening die cuts hold the film secure, while its thin profile requires minimum filing space. They are translucent for easy viewing.

All packages include 100 mounts each. Notched mounts are Buy 2, Get 1 FREE!

	Catalogue #	Description	Retail Price
	N1H2	One Window Horizontal #2 Film	\$ 11.20
	N2H0	Two Window Horizontal #0 Film	\$ 12.00
	N2H2	Two Window Horizontal #2 Film	\$ 12.00
	N2H3	Two Window Horizontal #3 Film	\$ 13.00
	N4H0	Four Window Horizontal #0 Film	\$ 17.00
0000	N4H2	Four Window Horizontal #2 Film	\$ 17.00
	N4H2V2	Six Window - 4 Horizontal - 2 Vertical #2 Film	\$ 21.00
	N6H2	Six Window Horizontal #2 Film	\$ 21.00
	N8H2	Eight Window Horizontal #2 Film	\$ 27.50
	N8H6V2	Fourteen Window - 8 Horizontal - 6 Vertical #2 Film	\$ 34.00
	N12H6V2	Eighteen Window - 8 Horizontal - 6 Vertical - 4 BW #2 Film	\$ 44.00
	N10BW2	Ten Window BW #2 Film	\$ 33.00
	N10BW3	Ten Window BW #3 Film	\$ 33.00

OPEN WINDOW MOUNT







FILM MOUNT CROSS REFERENCE CHART NOTCHED MOUNT **CLEAR POCKET MOUNT**

		COL		CASTERM		NNIA			EI OW	ADA
_	POCKET	NOTCHED	WINDOW	POCKET	POCKET	NOTCHED	WINDOW	NOTCHED	WINDOW	WINDOW
	CP102U			N.A.	20-0102					
Q	CP8 PEDO			108 PEDO	N.A.			N.A.		N.A.
	CP1C	N1H2	W1H2		20-1018	25-0178	30-6011	23200	601-200G	22004
•		N2H0	W2H0		20-1024	25-0811	30-4021	23608	402-608G	22616
•	СР2Н	N2H2	W2H2	102Н	20-1020	25-0179	30-6021	23203	602-203G	22020
		N2H3	W2H3		20-1023	25-0180	30-7021	N.A.	702-206G	22061
		N4H0	W4H0		20-1044	25-0187	30-4040	23609	404-609G	22624
	CP4C	N4H2	W4H2	104C	20-1048	25-0181	30-6040	23209	604-209G	22103
	СР4Н			104H	20-1040	25-0815	30-6045	23239	6045-239G	22152
, #2	CP4H2V	N4H2V2	W4H2V2	106HV	20-1062	25-1061	30-6062	23216	606-216G	22202
	СР6Н	N6H2	W6H2	106Н	20-1060	25-0182	30-6061	23215	606-215G	22194
	CP8C	N8H2	W8H2	108C	20-1088	25-0825	30-6081	23219	608-219G	22251
	CP10C			110C	20-1108	N.A.	30-6101	23220	610-220G	22285
#2	СР8Н6V	N8H6V2	W8H6V2	114HV	20-1142	25-0184	30-6141	23225	614-225G	22335
6V #2	CP12H6V	N12H6V2	W12H6V2	116-118HV	20-1182	25-0187	30-6180	23228	618-268G	22400
П	CP10C	N10BW2	W10BW2	110C	20-1108	25-0821	30-2345	23261	610-261G	22558
m #		N10BW3			N.A.	25-0820	30-3456	23262	N.A.	Z.A.
			W20BW2		80-0138	N.A.	30-4567	N.A.	618-230G	22574



























3-Way Syringe



Part No.	Description	Retail
#TPC3WAY	3-way syringe	\$42.00
#52046-TPC	Repalcement Cartridge (2pcs per pack)	\$11.00

- 360° tip rotation
- Accurate air and water control
- Autoclavable quick disconnect aerator tip

3-Way Syringe Push Ring



Part No.	Description	Retail
TPC3WAY-PR	3-way syringe	\$53.90
#52046	Repalcement Cartridge (2pcs per pack)	\$11.00

- 360° tip rotation
- Accurate air and water control
- Autoclavable quick disconnect aerator tip
- Quick connect push ring.

Autoclavable 3-Way Syringe Tip



Part No.	Description	Retail
#M7500	Autoclavable 3-way syringe tip (box of 100)	\$230.00/Box
	(compatible with DCI 3-way syringe)	

- syringe tip only
- box of 100

Shipping Dimensions: 6"L x 4"W x 2"H / 2 lbs.

Deluxe Autoclavable Valve

Autoclavable High Vacuum Valve - Short



Part No.	Description	Retail
#P2330	Deluxe Autoclavable high volume ejector–short	\$33.00
#P2166	Replacement Deluxe HVE lever & spool	\$11.00

- Autoclavable valve
- Finger tip lever control for on/off flow
- Swivel quick disconnect for 360° rotation
- Adapts to 1/2" ID vacuum tubing
- Disconnect at swivel for simple autoclaving
- Anodized aluminum one piece valve body construction with anodized aluminum swivel

Autoclavable High Vacuum Valve - Long



Part No.	Description	Retail
#P2335	Deluxe Autoclavable high volume ejector–long	\$35.00
#P2166	Replacement deluxe HVE lever & spool	\$11.00

- Autoclavable valve
- Ultra smooth lever control for on/off flow
- Swivel quick disconnect for 360° rotation
- Adapts to 1/2" ID vacuum tubing
- Disconnect at swivel for simple autoclaving
- Anodized aluminum one piece valve body construction with anodized aluminum swivel

Autoclavable Saliva Ejector Valve



Part No.	Description	Retail
#P2340	Deluxe Autoclavable saliva ejector valve	\$27.00
#P2169	Replacement deluxe saliva ejector lever & spool	\$11.00
#P2185	Replacement deluxe saliva ejector rubber tip <u>only</u> (5 pcs/Bag)	\$9.90/Bag

- Autoclavable valve
- Ultra smooth lever control for on/off flow
- Swivel quick disconnect for 360 degree rotation
- Disconnect at swivel for simple autoclaving
- Anodized aluminum one piece valve body construction with anodized aluminum swivel



Curing Bulb

- 12 Volt 75 Watt
- Power Light 100
- Replacement for PL100

#P201 **\$ 29.00**



Operatory Light Reflector

- Quality coated glass
- No core charge
- Original factory OEM specifications
- Replacement reflector for Belmont®, LSM® and Celux lights

#P705 **\$ 160.00**



Scaler Tubing 30K without Connector

- 30KHz 3-wire handpiece assembly
- Silicone jacket

#S8002 \$ 100.00



Scaler Tubing 25K without Connector

- 25KHz 3-wire handpiece assembly
- 7' length

#S8001 **\$ 100.00**



Mini HP Control Block

- Mini control block for 3 handpieces
- Solid brass construction
- Extra mounting holes allow a variety of placements
- 10-32 threaded barbs
- Longest lasting inter-woven diaphragm
- High flow design

#52003 **\$100.00**

#52004 Diaphram \$10.00



Water Bottle System

- 750 ml Extra Heavy duty bottles
- Easy to read pressure gauge
- Pre-set integrated regulator
- Ideal for bactericidal solutions
- Post clamp
- Will mount to vertical surface

#W5030 **\$125.00**

#W5035 - 750 ml bottle only **\$6.00**

#W5040 - 1000 ml bottle only **\$18.00**



Flow Control Valve

• Chrome plated brass #52007 **\$ 15.50**



Momentary Valve

• Chrome plated brass #52008 **\$ 13.00**



On/Off 2-Way Valve

• Chrome plated brass

#52009 **\$13.00**







On / Off 3 Way Valve

• Chrome plated brass #52010 **\$ 13.90**

Check Valve

• Chrome plated brass #52019 **\$ 9.50**

Routing Valve

• Chrome plated brass #53014 **\$15.00**



Non-Retraction Water Relay Valve

- Chrome plated brass
- Qeuivalent to DCI #7068

#52011 **\$ 33.00**



4-hole Adapter, Metal

Quality plated brass #52039 \$ 8.00



Plated Brass Nut 4-hole Midwest

- Brass extends HP thread life
- Standard connector

#52040 **\$ 3.50**



HP Tubing Adapter, 2 - hole HP to 4-hole Tubing

• Adapts 2 hole HP to 4-hole tubing #52041 **\$ 39.00**



HP Tubing Adapter, 4-hole HP to 2 -hole Tubing

• Adapts 4-hole HP to 2-hole tubing #52042 **\$ 39.00**



Stainless Steel Tray

- Premium quality stainless steel
- Size 13F (9-3/4" x 13-1/2")

#52026 **\$ 39.00**

#52027 Skid Pad \$3.16



Female Quick Disconnect

- Panel mount with auto shut-off
- 1/4" poly-flow rear connection
- Chrome plated brass
- 1/4" Coupler

#53012 **\$15.00**



Male Quick Disconnect w/ Shut-off

- With auto shut-off
- 1/4" poly-flow rear connection
- Chrome plated brass
- 1/8" Male QD

#53042 **\$11.50**



Male Quick Disconnect w/ Shut-off

- With auto shut-off
- 3/8" poly-flow rear connection
- Chrome plated brass
- 3/8' male QD

#53043 **\$15.70**



1/4" Coupler with shut off

- barb type
- Chrome plated brass
- Equivalent to DCI #0006

#53047 **\$ 10.00**



Foot Control, Wet/Dry

- Precision-touch disc foot control with wet/dry toggle
- Weighted for maximum stability
- Durable chrome steel dome
- Smooth, variable pressure control
- Non-skid foot pads

#53200 **\$ 95.00**

#53200-TS Toggle (only) **\$1.60** #53121 Toggle assembly **\$19.90**



Foot Control, Shrouded

- Large stable base with shroud
- Precision-touch disc foot control
- Weighted for maximum stability
- Durable chrome steel dome
- Smooth, variable pressure control
- Non-skid foot pads

#53117 **\$ 65.00**



4 Hole HP Straight Asepsis Assembled

- Assembled with metal adapter / nut
- Silicone Jacket
- 5.5' length

#52036 **\$25.00**



Syringe Tubing

#52038 **\$16.50**

• 6' Silicone Jacket tubing



Air Electric Switch

- Normally open air switch
- 15 PSI activated Check this spec

#A800N-SW **\$ 19.00**

Parts







Disposable Amalgam Traps

- 53016-S-100 1 7/8" Clear
- 53016-L-100 2 1/8" Clear
- Clear trap pgk of 100 #53016-S-100 **\$45.00** #53016-L-100 **\$45.00**



Solids Collector Canister

- Includes: Lid, Base, o-ring
- Bottom ported 2015 unit
- 2 1/8" trap

#53008 \$42.00



Solids Collector Canister

- Includes: Lid, Base, o-ring
- Side ported for 3550 unit
- 2 1/8" trap

#53008-R \$42.00



Solids Collector Canister

- Includes: Lid, Base, o-ring
- Bottom ported, 2600 unit
- 1 7/8" trap

#53008-2600 \$42.00



Nylon Bushing

#LP-RI-S **\$20.00**

- OD 1 7/8"
- ID 1 3/8"



Nylon Bushing

#LP-PC-L **\$20.00**

- OD 1 7/8"
- ID 1 11/16"



Chair Adaptor

#TPCRDSBKT \$320

• TPC Mirage swing mount chair bracket



Chair Adaptor

#L2000-BKT **\$ 270**

• Laguna chair bracket

48" Light Post

#LP48 **\$149.00**

- 48" light post
- LP-PC-L included
- Optional: LP-RI-S



Chair Adaptor

#BELBRKT **\$ 165.00**

- Belmont Chair Bracket
- Fits Bel 20 and 50 chairs



Chair Adaptor

#TPCBRKT \$ 270

- TPC chair bracket
- RT handed setup

- Page 96 -



Chair Adaptor

#TPCBRKT -L \$ 270

- TPC chair bracket
- LF handed setup

Custom Umbilical Lengths / Utility Center

2000 / 2015 Umbilical

- 1 (6 X 4) MM Air "Yellow"
- 1 (6 X 4) MM Water "Blue"
- 4 (4 X 2.7mm)
 - Yellow
 - Grey
 - Purple
 - Red
- •1 (5/8") Drain Line
- 1 (5/8") Cuspidor Drain 2000 unit
- 1 (2") Umbilical
- No Electrical / Low Voltage

#2015-UMB-FT \$31.50

#2015-UMB-10 **\$283.50** 10' length

3500 Umbilical

- 1 (6X4) MM Air "Black"
- 9 (4 X 2.7mm)
 - Yellow
 - Grey
 - Purple
 - Red
 - Green
 - Blue
 - Maroon
 - Black (spare)
 - Red (spare)
- No Low Voltage

#3500-UMB-FT \$31.50

3550 Umbilical

- 1 (6X4)mm Air "Yellow"
- 1/2" Sprial Loc Tubing
- Syringe tubing.

#3550-UMB-FT **\$19.00**

MC500 / 501 Umbilical

- 1 6X4MM Air "Black "
- (1 1/2") Umbilical
- 8 4 X 2.7mm
 - Yellow
 - Grey
 - Red
 - Green
 - Blue
 - Maroon
 - Black (spare)
 - Red (spare)
 - Purple (spare)
 - 1/2" Spiral Lock Suction MC501 only Add \$2.62 per ft

• Low Voltage

#MC500-UMB-FT **\$31.50**

OMC2375 Umbilical

- 1 6X4MM Air "Yellow"
- 1 (1 1/2)" Umbilical
- 8 4 X 2.7mm
 - Yellow
 - Grey
 - Clear
 - 5/8" Sprial Lock Sction
- No Electrical

#OMC2375-UMB-FT \$ 32.00

MS3000 / MR4000

- 1 6X4mm Air "Black"
- 8 4 X 2.7mm
 - Yellow
 - Grey
 - Red
 - Green
 - Blue
 - Maroon
 - Black (spare)
 - Red (spare)
 - Purple (Spare)
- No Low Voltage

#3000-UMB-FT \$ **31.50**

Junction Box

- 12.5" X 12.5"
- Metal frame
- Plastic top cover

#53120 **\$105.00**



Master Shut-Off Valve

- Includes air / water valved
- 3/8" compression tube
- Includes pressure regulator
- Includes pressure guage

#53119 **\$204.76**



Rebulid Kit for 53119

- Diaphram
- Spring
- Plunger

#53099 **\$13.00**



40 micron filter

- Use for air and water
- 40 micron filter element

#53107 **\$2.10**



Raw Tubing per Ft.

Part Number 53096 53093 53085 53021 2000-HVETubing 2000-SETubing Description
1/2 Grey Sprial Lock Tubing
5/8" Clear Sprial Lock Tubing
5/8" Grey Sprial Lock Tubing
2" Umbilical Tubing
1/2" Smooth HVE tubing
Saliva Ejector Tubing



Price per Ft \$3.00 Per Ft \$3.00 Per Ft \$3.00 Per Ft \$6.20 Per Ft \$2.50 Per Ft \$1.30 per Ft



PURCHASE ORDER NO.

851 South Lawson Street, City of Industry CA 91748 800-560-8222 (PH) 626-810-4245 (FX)

TO: Dealer						SHIP TO: End User						
												-
P.O. DATE		SHIP VIA			F.	F.O.B.			TERMS			
BUYER		FREIGHT		REQ. I	DATE	CONFIR	CONFIRMING TO		REMARKS		TAX	
QTY. REQ.		UNITS			DESCI		RIPTION		UNIT COST E		EXTENDED COST	
												•
												٠
												•
												•
												•
												•
			TOTAL									
Credit Card Number						Date:				•		
Credit Card Number: Expiration Date:												
Authorized by:							Date:					

Terms of Sale and Payment: Purchaser hereby authrorizes TPC to ship the above equipment / supplies. The purchaser understands and agrees that the complete payment or this entire order is due prior to shipping order. Cancellations are subjected to a 25% handling fee. By siging this form, the customer agrees to authroize TPC to bill the credit card in the amount shown above plus all freight charges.

www.tpcdental.com

Form# 051016

Corporate Staff Contacts

Customer Care (8:00 a.m. – 5 p.m. PST) Customer Service Fax Orders 1-626-810-4337 1-626-810-4245



Scott Beckley Vice President Sales sbeckley@tpcdental.com



Mike Carlone Service / Repair Manager mcarlone@tpcdental.com



Holly Han Shipping Manager holly@tpcdental.com



Ryan Kong Customer Service customerservice@tpcdental.com



Alfonso Sanchez Latin American Sales alfonso@tpcdental.com



Charlie Chuck Handpiece Specialist charles@tpcdental.com





851 S. Lawson St. • City of Industry, CA 91748 Tel. (800) 560-8222 • Fax (626) 810-4245

Upholstery Color Selection

Nagua Soft Upholstery



Upholstery Color Selection



TPC recommends final upholstery color to be selected from actual color swatch chart.





TPC Advanced Technology, Inc.

851 S. Lawson St. • City of Industry, CA 91748 Tel. (800) 560-8222 • Fax (626) 810-4245

tpcdental.com